CONTENTS

Opening address vii
Preface ix
Sponsors and supporters x
Conference organization xi
Exhibitors xii
Report from the organizers xiii
Distribution of subjects xvi
Contents xvii

PART I

A1. Invited papers (Monday, 29 February 1988) 1

A1.1. Plenary talks

Crystal chemistry of perovskite superconductors
B. Raveau, C. Michel, M. Hervieu and J. Provost 3

Electronic properties of cuprate superconductors
K. Kitazawa, H. Takagi, K. Kishio, T. Hasegawa, S. Uchida, S. Tajima, S. Tanaka and K. Fueki 9

Superconducting glass and related properties
G. Deutscher 15

The current theoretical situation in high-T_c superconductivity
J.R. Schrieffer, X.-G. Wen and S.-C. Zhang 21

A1.2. Symposium on growth and properties of single crystals

The anisotropic superconductivity of $RBa_2Cu_3O_{7-x}$ (R:Y,Gd and Ho) single crystals
Y. Iye, T. Tamegai, T. Sakakibara, T. Goto, N. Miura, H. Takeya and H. Takei 26

The anisotropic nature of the superconducting properties of single crystal $Y_1Ba_2Cu_3O_{7-x}$
T.K. Worthington, W.J. Gallagher, D.L. Kaiser, F.H. Holtzberg and T.R. Dinger 32

Growth and properties of single crystals of high-T_c oxides
M. Sato 38

Crystal growth problems of $YBa_2Cu_3O_{7-x}$
H.J. Scheel 44

A1.3. Symposium and panel discussion on superconducting glass properties

Granular and superconducting-glass properties of the high-temperature superconductors
J.R. Clem 50

Spin-glass phase microwave study in high-T_c superconductors
K.W. Blazey, A.M. Portis, K.A. Müller, J.G. Bednorz and F. Holtzberg 56

Glass behavior of high-T_c superconductors
I. Morgenstern, K.A. Müller and J.G. Bednorz 59

The glass state in weak-coupled superconductors
D. Stroud and C. Ebner 63

Relaxation of the magnetization in high-T_c superconductors
A.C. Mota, A. Pollini, P. Visani, K.A. Müller and J.G. Bednorz 67

Internal magnetic fields in $YBa_2Cu_3O_{7-\delta}$ from muon spin rotation experiments: discussion in terms of a glasslike superconducting state
H. Keller, B. Pümpin, W. Kündig, W. Odermatt, B.D. Patterson, J.W. Schneider, H. Simmler, S. Connell, K.A. Müller, J.G. Bednorz, K.W. Blazey, I. Morgenstern, C. Rossel and I.M. Savić 71

A1.4. Panel discussion on resonance experiments

NMR and NQR studies in $YBa_2Cu_3O_{7-\delta}$
D. Brinkmann 75

NMR and NQR studies of high-T_c superconductors
W.W. Warren Jr., R.E. Walstedt, R.F. Bell, G.F. Brennert, R.J. Cava, G.P. Espinosa and J.P. Remeika 79

Nuclear relaxation and Knight shift studies of ^{63}Cu in 90 K- and 60 K-class $YBa_2Cu_3O_{7-y}$
Y. Kitaoka, S. Hiramatsu, Y. Kohori, K. Ishida, T. Kondo, H. Shibai, K. Asayama, H. Takagi, S. Uchida, H. Iwabuchi and S. Tanaka 83

Localised magnetic moments in oxygen deficient $YBa_2Cu_3O_{7-\delta}$
L. Mihaly, I. Furo, S. Pekker, P. Banki, E. Lippmaa, V. Miidel, E. Joon and I. Heinmaa 87

NMR studies of high temperature superconductors
E. Lippmaa, E. Joon, I. Heinmaa, V. Miidel, A. Miller, R. Stern, I. Furo, L. Mihaly and P. Banki 91

NMR and NQR investigation of high-T_c superconductors
H. Lütgemeier 95

A1.5. Session on new ideas in theory

On the theory of superconductivity in a model of oxide metals
N.N. Bogolubov, V.L. Aksenov and N.M. Plakida 99

Towards a gauge theory of strongly correlated electronic systems
P.B. Wiegmann 103

A2. Contributed papers (Monday, 29 February 1988) 109

A2.1. Electronic properties. High energy spectroscopies

Positron studies on $Y_1Ba_2Cu_3O_{7-x}$: charged oxygen vacancies?
A. Bharathi, Y. Hariharan, A.K. Sood, V. Sankara Sastry, M.P. Janawadkar and C.S. Sundar 111

$3d^9\underline{L}$ states induced by doping in $La_{1.85}Sr_{0.15}CuO_4$ and in magnetic and nonmagnetic $M_1Ba_2Cu_3O_7$ ($M = Gd$, Ho and Y)
A. Bianconi, J. Budnick, B. Chamberland, A. Clozza, E. Dartyge, G. Demazeau, M. De Santis, A.M. Flank, A. Fontaine, J. Jegoudez, P. Lagarde, L.L. Lynds, C. Michel, F.A. Otter, H. Tolentino, B. Raveau and A. Revcolevschi 113

Weight of $3d^9$ ligand hole configurations as function of oxygen content in $YBa_2Cu_3O_{6.5+x}$ by joint L_3 XAS and XPS
A. Bianconi, M. De Santis, A. Di Cicco, A. Clozza, A. Congiu Castellano, S. Della Longa, A. Gargano, P. Delogu, T. Dikonimos Makris, R. Giorgi, A.M. Flank, A. Fontaine, P. Lagarde and A. Marcelli 115

Cu L_3 X-ray absorption of formally trivalent Cu compounds
A. Bianconi, J. Budnick, G. Demazeau, A.M. Flank, A. Fontaine, P. Lagarde, J. Jegoudez, A. Revcolevski, A. Marcelli and M. Verdaguer 117

Electronic structure of $La_{2-x}Sr_xCuO_4$ and $YBa_2Cu_3O_{7-y}$
N. Nücker, J. Fink, J.C. Fuggle, P.J. Durham and W.M. Temmerman 119

XANES study of Cu mixed valence in $YBa_2Cu_3O_{7-x}$ – experimental and calculations
K.B. Garg, H.S. Chauhan, D.C. Jain, U. Chandra and J. Singh 121

Electronic structure, chemical bonding and magnetic interactions in high temperature superconducting Y–Ba–Cu–O compounds
V.A. Gubanov, S.A. Turzhevski, A.I. Lichtenstein, D.L. Novikov and V.I. Anisimov 123

Cu 3d soft X-ray emission spectra from $MBa_2Cu_3O_{7-\delta}$ (M = Y, Eu and Er)
V. Barnole, J.-M. Mariot, C.F. Hague and H.-J. Güntherodt 125

ARXPS-studies of $\hat{c}$-axis textured $YBa_2Cu_3O_x$-films
J. Halbritter, P. Walk, H.-J. Mathes, B. Haeuser and H. Rogalla 127

Fermi surface of $YBa_2Cu_3O_{7-x}$ by positron annihilation
L. Hoffmann, A.A. Manuel, M. Peter, E. Walker and M.A. Damento 129

Photoemission study of the chemical bond nature of $Ba_2YCu_3O_y$
H. Ihara, M. Jo, N. Terada, M. Hirabayashi, H. Oyanagi, K. Murata, Y. Kimura, R. Sugise, I. Hayashida, S. Ohashi and M. Akimoto 131

XPS and SAM study of the high T_c superconductor $YBa_2Cu_3O_{7-x}$
H. Jaeger, S. Hofmann, G. Kaiser, K. Schulze and G. Petzow 133

Some aspects of XES pattern of $GdBa_2Cu_3O_x$ and $EuBa_2Cu_3O_x$, ceramics
G. Jasiolek and P. Przyslupski 135

XES studies of $YBa_2Cu_3O_y$, single crystals
G. Jasiolek, H. Niculescu and A. Pajaczkowska 137

On the 3d-configuration of copper in high T_c superconductors
G. Kaindl, D.D. Sarma, O. Strebel, C.T. Simmons, U. Neukirch, R. Hoppe and H.P. Müller 139

Electronic structure of high-T_c superconductors: effects of oxygen stoichiometry and surface reactions with alkali metals

C. Laubschat, M. Domke, M. Prietsch, C.T. Simmons, G. Kaindl, R. Miranda, E. Moran, F. Garcia and M.A. Alario 141

X-ray absorption spectroscopy of $YBa_2Cu_3O_{6.90}$
B. Lengeler, M. Wilhelm, B. Jobst, W. Schwaen, B. Seebacher, U. Hillebrecht 143

Electronic structure of $YBa_2Cu_3O_{7-\delta}$ ceramics as a function of δ: homogeneous mixed valent state and superconductivity
M. Maurer, M.F. Ravet, J.C. Ousset, T. Gourieux, A. Fontaine, H. Tolentino, E. Dartyge, G. Tourillon, G. Krill and P.H. Kes 145

Anisotropy of quasiparticle Raman scattering in $YBa_2Cu_3O_{6+\delta}$ single crystals
D. Mihailović and N. Brničević 147

Evaluation of on-site 3d electron correlation of copper in La_2CuO_4, $La_{2-x}Sr_xCuO_4$ and $Y_1Ba_2Cu_3O_{7-y}$ by $L_3M_{4,5}M_{4,5}$ Auger valence electron spectra
H. Nakayama, H. Fujita, T. Nogami and Y. Shirota 149

Surface electronic structure of the high-T_c oxides
D.D. Sarma, K. Prabhakaran and C.N.R. Rao 151

Role of Cu in high-T_c superconductors: a photoemission study
P. Sen, B. Dauth, T. Kachel, B. Rupp and W. Gudat 153

Positron studies across the superconducting transition in $Y_1Ba_2Cu_3O_{7-x}$
C.S. Sundar, A.K. Sood, A. Bharathi and Y. Hariharan 155

Positron annihilation in perovskite superconductors; theory and experiment
P.E.A. Turchi, A.L. Wachs, Y.C. Jean, R.H. Howell, K.H. Wetzler and M.J. Fluss 157

2p-core level spectroscopy of $La_{1.85}Sr_{0.15}CuO_4$, CuO and $NaCuO_2$: mixed valency in the superconductor
M. Ospelt, J. Henz, E. Kaldis and P. Wachter 159

Neutron-diffraction evidence for 3D long-range antiferromagnetic ordering in $DyBa_2Cu_3O_{7.0}$ and for antiferromagnetic correlations in $HoBa_2Cu_3O_{6.8}$
P. Fischer, K. Kakurai, M. Steiner, K.N. Clausen, B. Lebech, F. Hulliger, H.R. Ott, P. Bruesch and P. Unternaehrer 161

A2.2. Magnetic properties. Ordering phenomena

The experimental evidence of 90 K superconductivity arising from the phonon mechanism
N. Cao, J.-Q. Zheng and X.-C. Chen 162

Crystal field in $HoBa_2Cu_3O_{7-\delta}$ determined by inelastic neutron scattering
A. Furrer 164

Magnetic ordering in oxygen-depleted $YBa_2Cu_3O_x$ and $GdBa_2Cu_3O_x$
A. Golnik, J.I. Budnick, B. Chamberland, L. Lynds, C. Niedermayer, F. Otter, E. Recknagel, M. Rossmanith, A. Weidinger and Z. Tan 166

Magnetic ordering in high-T_c-related compounds
A. Weidinger, J.I. Budnick, B. Chamberland, A. Golnik. C. Niedermayer, E. Recknagel, M. Rossmanith and D.P. Yang 168

Comparison of inelastic magnetic neutron scattering on $PrBa_2Cu_3O_7$ and $NdBa_2Cu_3O_7$
U. Walter, E. Holland-Moritz, A. Severing, A. Erle, H. Schmidt and E. Zerngiebl 170

Magnetic properties of superconductive ceramic compounds $YBa_2Cu_3O_{7-x}$, $GdBa_2Cu_3O_{7-x}$ and $HoBa_2Cu_3O_{7-x}$

V.M. Novotortsev, O.G. Ellert, I.A. Konovalova, V.B. Lazarev, E.A. Tistchenko and I.S. Shaplygin 172

Effect of quenching on the magnetic properties of $RBa_2Cu_3O_{7-y}$ (R = Rare earth) compounds
C.V. Tomy, R. Prasad, N.C. Soni and S.K. Malik 174

Electrical crystal field effects in high-temperature superconductor $HoBa_2Cu_3O_7$
A.V. Mirmelshtein, A.A. Podlesnyak, V.I. Bobrovskii, S.A. Davydov, A.E. Karkin, V.L. Kozhevnikov, B.N. Goshchitskii and S.M. Cheshnitskii 176

The gadolinium ordering in superconducting and non-superconducting $Gd_xY_{1-x}Ba_2Cu_3O_y$ system
F. Nakamura, T. Fukuda, Y. Ochiai, A. Tominaga and Y. Narahara 178

Low-temperature magnetic properties of high T_c Gd_xY_{1-x}–Ba–Cu oxide
F. Nakamura, Y. Ochiai, A. Tominaga and Y. Narahara 180

Magnetic properties of Re–Ba–Cu oxides in the normal and superconducting states
S.M. Green, C. Jiang, H.L. Luo, Y. Mei and C. Politis 182

Crystal electric field excitations in $REBa_2Cu_3O_{7-x}$ compounds
E. Gering, B. Renker, F. Gompf, D. Ewert, H. Schmidt, R. Ahrens, M. Bonnet and A. Dianoux 184

Magnetic properties of $REBa_2Cu_3O_7$ (RE = Y,Nd,Sm,Eu,Gd,Dy,Ho)
J. Sebek, J. Stehno, V. Nekvasil, S. Safrata, L. Havela, P. Svoboda, V. Valvoda, V. Sechovsky, J. Sramek and K. Hruska 186

Magnetic ordering in dilute $Gd_xEu_{1-x}Ba_2Cu_3O_{7-\delta}$ superconductors
M.T. Causa, S.M. Dutrus, C. Fainstein, G. Nieva, R. Sanchez, L.B. Steren, M. Tovar, R. Zysler, S.B. Oseroff, D.C. Vier, S. Schultz, Z. Fisk and J.L. Smith 188

Antiferromagnetic ordering in the high-T_c superconductors $(Y_{1-x}Gd_x)Ba_2Cu_3O_{7-y}$
C. Lin, G. Lu, C.-D. Wei, Z.-X. Liu, Y.X. Sun, J. Lan, X. Zhu, G.-Z. Li, S.-Q. Feng, Y.-D. Dai and Z.-Z. Gan 190

Antiferromagnetism in $YBa_2Cu_3O_6$
D. Petitgrand and G. Collin 192

A2.3 Theory. Phonons and electron – phonon models

Structural instability and high temperature superconductivity
V.L. Aksenov and N.M. Plakida 194

On the mechanism for Cooper-pairs in high-T_c-superconductors
K.H. Bennemann 196

A theoretical analysis of phonon spectra in high T_c superconductors
A. Calles, E. Yepez, A. Salcido, J.J. Castro and A. Cabrera 198

Grain boundaries and impurity phases in $YBa_2Cu_3O_{7-\delta}$
F. Stucki, P. Brüesch and Th. Baumann 200

First principles calculations of lattice dynamics and ionicity in La_2CuO_4 and $YBa_2Cu_3O_7$
R.E. Cohen, W.E. Pickett, H. Krakauer and L.L. Boyer 202

Comparison of T_c in $La_{2-x}Sr_xCuO_4$ and $YBa_2Cu_3O_7$ within a simple density of states model
R. Combescot and J. Labbe 204

Isotope effect and anharmonic models of high-T_c superconductors
S.L. Drechsler and N.M. Plakida 206

Vibronic bipolaron model for the high-T_c superconductivity
M. Georgiev and M. Borissov 208

Phonons in high-T_c $YBa_2Cu_3O_7$
H.C. Gupta 210

On T_c enhancement due to Peierls instability
L. Jacak 212

A comparitive study of (bi)polaronic (super)conductivity in high- and low-T_c superconducting oxides
L.J. de Jongh 214

On an electronic pairing mechanism in oxide superconductors of the $YBa_2(Cu_{1-x}M_x)_3O_{7-x}$ type (M = Ti,Cr,Mn,Fe,Co,Ni,Zn)
J. Kasperczyk, M. Piasecki and Z. Bak 215

Instability-enhanced high-T_c superconductivity – a model for the perovskite-type oxide superconductors –
M. Kataoka 217

Competition between charge ordering and superconductivity in $La_{2-x}M_xCuO_4$
T.K. Kopeć 219

Lattice dynamics of $YBa_2Cu_3O_{7-x}$
W. Kress, U. Schröder, J. Prade, A.D. Kulkarni and F.W. de Wette 221

Eliashberg theory in the very strong coupling regime
F. Marsiglio, R. Akis and J.P. Carbotte 223

Optimum spectra for superconducting properties
R. Akis, F. Marsiglio, E. Schachinger and J.P. Carbotte 225

Combined phonon–exciton mechanism for $La_{1.85}Sr_{0.15}CuO_4$
F. Marsiglio, R. Akis and J.P. Carbotte 227

Electron–phonon coupling and pairing in the 2-D Hubbard model: a Monte-Carlo study
A. Muramatsu and W. Hanke 229

Superconductivities of quasi two-dimensional Peierls–Hubbard model
K. Nasu 231

Structural phase transitions in superconducting La–Sr–Cu–O compounds
N.M. Plakida and V.S. Shakmatov 233

Twodimensional bands, structure and phonon mechanism in HTSC
G. Ries 235

Nonergodic lattice dynamics and high-T_c-superconductivity
J. Schreiber and S. Flach 237

Strong enhancement of electron–phonon interaction due to charge fluctuations in oxide superconductors and their high T_c superconductivity
M. Tachiki, S. Takahashi, Y. Syono, Y. Namba, Y. Fukuda and M. Nagoshi 239

Fluctuations in strong coupled superconductors
L.N. Bulaevskii and O.V. Dolgov 241

The energy gap in HTS calculated from experimental data on T_c, λ and Q_D
M. Surma 243

Molecular states in strong coupling systems: soft modes and anomalous resistivity and susceptibility temperature dependence
M. Nuñez Regueiro, G. Ortiz, D. Nuñez Regueiro and B. Alascio 245

Anisotropy effects in the upper critical field of niobium: theory and experiment
E. Schachinger, M. Prohammer, E. Seidl and H.W. Weber 247

Anisotropic effects in the functional derivative of the critical magnetic field deviation function for strong and weak coupling superconductors
M.A. St. Peters 249

Theoretical study on order–disorder phase transition in the $YBa_2Cu_3O_{7-x}$
B.-L. Gu, Q. Wang and X.-W. Zhang 251

Analysis of instability and phase transition in La_2CuO_4
M. Zhang, R. Tao and S. Zhou 253

Theoretical explanation of anomaly of ultrasound in $La_{1.85}Sr_{0.15}CuO_4$
M. Zhang, D. Zheng, R. Tao, F. Pu and S. Zhou 255

Order–disorder transition in $YBa_2Cu_3O_{7-x}$
S.B. Ota and T.V. Chandrasekhar Rao 257

Volume magnetostriction of $GdBa_2Cu_3O_{7-\delta}$
J. Zieglowski, S. Blumenröder, A. Freimuth and D. Wohlleben 259

A2.4. Lattice properties. Vibrations

Search for copper isotope effect in $Y_1Ba_2Cu_3O_7$
B.V. Vasiliev and V.I. Luschikov 261

Raman scattering of single crystals of $YBa_2Cu_3O_{7-\delta}$
C. Thomsen, M. Cardona, B. Gegenheimer and R. Liu 262

Effect of pressure on Raman modes in $MBa_2Cu_3O_7$-type materials
K. Syassen, M. Hanfland, K. Strössner, M. Holtz, W. Kress, M. Cardona, U. Schröder, J. Prade, A.D. Kulkarni and F.W. De Wette 264

Sound velocity anomaly of $YBa_2Cu_3O_y$
M. Suzuki, Y. Okuda, I. Iwasa, A.J. Ikushima, T. Takabatake, Y. Nakazawa and M. Ishikawa 266

Neutron scattering study of the vibrational density of states of high-T_c superconductors
L. Rosta, Gy. Hutiray, R. Bellissent, A. Menelle, F. Mezei, A.D. Taylor, R. Osborn and Z.A. Bowden 268

Anomalies in the Cu–O structure of $EuBa_2Cu_3O_{7-\delta}$ at 110 K and 250 K
U. Murek, K. Keulerz and J. Röhler 270

Lattice dynamics of Me–Ba–Cu–O superconductors
B. Renker, F. Gompf, E. Gering, G. Roth, W. Reichardt, D. Ewert and H. Rietschel 272

Comparison of the phonon density of states of high-T_c $YBa_2Cu_3O_7$ with that of the nonsuperconducting reference system $YBa_2(Cu_{.9}Zn_{.1})_3O_7$
F. Gompf, B. Renker and E. Gering 274

Phonon anomalies in La_2NiO_4
L. Pintschovius, J.-M. Bassat, P. Odier, F. Gervais, B. Hennion and W. Reichardt 276

Acoustic wave velocity and attenuation in the high T_c superconductor $YBa_2Cu_3O_7$
V. Ramachandran, G.A. Ramadass and R. Srinivasan 278

Ultrasonic hysteresis effects and the formation of twin domains in high-T_c superconductors
V. Müller, D. Maurer, Ch. Roth, C. Hucho, D. Winau, K. de Groot, H. Eickenbusch and R. Schöllhorn 280

Phonon density of states in $YBa_2Cu_3O_x$
P. Strobel, P. Monceau, J.L. Tholence, R. Currat, A.J. Dianoux, J.J. Capponi and J.G. Bednorz 282

Ultrasonics and high magnetic field properties of $YBa_2Cu_3O_{7-x}$
B. Wolf, T.J. Kim, H. Kühnberger, W. Palme, A. Krimmel, I. Xanthopoulos, W. Grill, B. Lüthi and M. Schwarz 284

Raman study of lattice modes in the orthorombic and tetragonal $YBa_2Cu_3O_{7-x}$ single crystals
V.D. Kulakovskii, O.V. Misochko, V.B. Timofeev and G.A. Emel'chenko 286

Thermal vibrations in $YBa_2Cu_3O_{7-x}$; infra-red spectra and possibility of librational mechanism of the superconductivity
J. Klamut, T. Głowiak, J. Hanuza, Z. Henkie, R. Horyń, B. Jeżowska-Trzebiatowska, R. Kubiak, K. Łukaszewicz, J. Stępien-Damm and A. Zygmunt 288

Polarized Raman spectra of superconducting and semiconducting $YBa_2Cu_3O_x$ single crystals
V.G. Hadjiev, M.N. Iliev and P.G. Vassilev 290

Raman experiments on YBaCuO-superconductors
R. Feile, U. Schmitt and P. Leiderer 292

Ultrasound study of $YBa_2Cu_3O_{7-\delta}$ samples of different microstructure
P. Lemmens, F. Stellmach, S. Ewert, S. Guo, J. Wynants, G. Arlt, A. Comberg, H. Passing and G. Marbach 294

Raman scattering as a probe of the stoichiometry of $YBa_2Cu_3O_{7-x}$
A. Erle, S. Blumenröder, E. Zirngiebl, M. Veit, J. Langen and G. Güntherodt 296

An internal friction and frequency study in $YBa_2Cu_3O_{7-x}$
G. Cannelli, R. Cantelli, F. Cordero, G. Costa, M. Ferretti and G.L. Olcese 298

Dynamics of atoms in $YBa_2Cu_3O_{7-x}$
W. Bührer, P. Brüesch, P. Unternährer and A. Taylor 300

Mixed ion-electronic conductivity in $YBa_2Cu_3O_{7-x}$
Ja.N. Blinovskov, E.E. Fijatau, I.A. Leonidov, P.Ja. Novak, S.M. Cheshnitski and V.L. Kozhevnikov 302

A2.5. Superconductivity. Glass phenomena

The behaviors of superconductive glass state in high-T_c superconducting ceramics
Y. Zhao, S.-F. Sun, Z.-P. Su, W.-Y. Kuan, H. Zang, Z.-Y. Chen and Q.-R. Zhang 304

Magnetic relaxation effects in $YBa_2Cu_3O_{7-\delta}$ thin films
C. Rossel and P. Chaudhari 306

Critical state and fluxon pinning in high-T_c superconductors
A.M. Portis, K.W. Blazey and F. Waldner 308

Time dependent magnetic response in a $GdBa_2Cu_3O_{7-\delta}$ superconductor: flux creep or superconducting glass state?
M.E. McHenry, M. Foldeaki, J. McKittrick, R.C. O'Handley and G. Kalonji 310

Monte Carlo study of a two-dimensional array of Josephson junctions
J.M. Houlrik and M.A. Novotny 312

Low field magnetic relaxation phenomena in YBaCuO
P. Norling, P. Svedlindh, P. Nordblad, L. Lundgren and P. Przyslupsky 314

Glassy state versus fluxoid trapped in high temperature superconductors
S.B. Nam 316

Flux profiles in bulk $DyBa_2Cu_3O_7$ at 4.2 and 77 K
M. Däumling, J. Seuntjens and D.C. Larbalestier 318

Superconducting glass behaviour in high temperature superconductors
I. Kostadinov, M. Mateev, I.V. Petrov, P. Vassilev and J. Tihov 320

Flux-creep and critical currents in various Y–Ba–Cu–O–samples
C.W. Hagen, M.R. Bom, R. Griessen, B. Dam and H. Veringa 322

Superconducting glass behavior of $YBa_2Cu_3O_{7-x}$
M. Tuominen, A.M. Goldman and M.L. Mecartney 324

Determination of the crossover critical exponent in a YBaCuO superconductor glass by SQUID susceptometry
C. Giovannella, L. Fruchter and C. Chappert 326

The superconductor glasses (SuG) in the fractal cluster description
C. Giovannella 328

Evidence for different spatial distribution of pinned vortices and screening currents
J.P. Renard, C. Giovannella, L. Fruchter and C. Chappert 330

Period doubling and magnetic chaos in superconducting $YBa_2Cu_3O_7$
T. Datta, C. Almasan, D.U. Gubser, S.A. Wolf and L.E. Toth 332

Magnetic properties of $YBa_2Cu_3O_{7-x}$ superconductor: flux trapping and glassy like features
E. Agostinelli, G. Balestrino, S. Barbanera, P. Filaci, D. Fiorani and A.M. Testa 334

Influence of the ion irradiation on superconducting properties of $YBa_2Cu_3O_7$ films
S.V. Antonenko, I.Yu. Besotosniy, A.I. Golovashkin, A.I. Grigoriev, N.N. Degtyarenko, V.V. Evstigneev, V.F. Elesin, I.A. Esin, V.E. Zhuchkov, I.V.Zacharchenko, S.I. Krasnosvo-Bodtsev, A.S. Molchanov, E.V. Pechen, I.A. Rudnev and S.V. Shavkin 336

A2.6. Materials. General

Changes of conductivity and superconductivity in Ln–Ba–Cu oxides caused by neutron irradiation
H. Yoshida and K. Atobe 337

Effect of disordering on properties of high-temperature superconductors
B.A. Aleksashin, I.F. Berger, S.V. Verkhovskii, V.I. Voronin, B.N. Goshchitskii, S.A. Davydov, A.E. Karkin, V.L. Kozhevnikov, A.V. Mirmelshtein, K.N. Mikhalyov, V.D. Parhomenko and S.M. Cheshnitskii 339

The influence of the disorder induced by electron irradiation on T_c and magnetic susceptibility of $YBa_2Cu_3O_7$
A. Hoffmann, P. Schüle, N. Moser, H. Kronmüller, H. Jäger and F. Dworschak 341

Neutron irradiation of $YBa_2Cu_3O_7$ and $Y_{1.2}Ba_{0.8}CuO_x$
P. Müller, W. Schindler, G. Saemann-Ischenko, H. Burzlaff, H. Gerstenberg and M. Fischer 343

Neutron irradiation damage effect on superconducting and normal state properties of the $YBa_2Cu_3O_7$ system
P. Przysłupski, A. Wiśniewski, S. Koleśnik, W. Dobrowolski, A. Pajączkowska, K. Pytel and B. Pytel 345

Effects of irradiation – fast neutrons and implantation on sintered Y–Ba–Cu–O superconductors
K.V. Rao, R. Puźniak, D.-X. Chen, N. Karpe, M. Baran, A. Wiśniewski, K. Pytel, H. Szymczak, K. Dyrbye and J. Bøttiger 347

Enhancement of T_c in $YBa_2Cu_3O_{7-\delta}$ superconductors by gas absorption
K.N.R. Taylor, A. Bailey, D.N. Matthews and G.J. Russell 349

Preparation and characterization of isotropic and textured $YBa_2Cu_3O_{7-x}$ with high density and low residual resistivity
T. Wolf, I. Apfelstedt, W. Goldacker, H. Küpfer and R. Flükiger 351

Interfacial coupling dependence upon the superconducting properties of metallic and insulating YBaCuO composites
L.E. Wenger, W. Win, J.T. Chen, J. Obien, M. Wali, M. Bhullar, E.M. Logothetis, R.E. Soltis and D. Ager 353

Superconducting transition at 60 K in $Ho_1Ba_2Cu_3O_{7-x}$ at high pressures
V.S. Sastry, B.K. Guha, M.P. Janawadkar, Y. Hariharan and T.S. Radhakrishnan 355

The influence of the synthesis procedure in the obtention of untwinned superconductors
M. Vallet-Regí, M.V. Cabañas and J.M. González-Calbet 357

Critical currents, magnetisation, ac-susceptibility and ac-losses in ceramic superconductors
J.S. Abell, M.S. Colclough, E.M. Forgan, C.E. Gough, C.M. Muirhead, D.A. O'Conner, W.F. Vinen and F. Wellhofer 359

Preparation and microstructure of high density $Y_1Ba_2Cu_3O_{7-\delta}$
F. Greuter, P. Kluge-Weiss, H. Zimmermann and C. Schüler 361

Structure and superconducting properties of $YBa_2Cu_3O_7$ and Bi–Sr–Ca–Cu–O prepared by high temperature heat treatment
H. Kumakura, M. Uehara, K. Takahashi and K. Togano 363

A novel processing technique and related properties of $Y_1Ba_2Cu_3O_{7-x}$
B. Kumar 365

The connective nature of $YBa_2Cu_3O_7$ bulk samples studied by inductive critical current measurements
H. Küpfer, I. Apfelstedt, R. Flükiger, R. Meier-Hirmer, W. Schauer, T. Wolf and H. Wühl 367

Rapid solidification processing of high T_c superconductors: microstructural features and phase relationships
J. McKittrick, M.E. McHenry, C. Heremans, P. Standley, T.R.S. Prasanna, G. Kalonji, R.C. O'Handley and M. Foldaeki 369

Sintering behaviour of $Y_uBa_vCu_wO_{7-\delta}$ ($u \approx 1$; $v \approx 2$; $w \approx 3$)
B. Dubois, A. Douy, M. Gervais, F. Cabannes and P. Odier 371

Optimization of the superconducting properties of $REBa_2Cu_3O_x$ by thermal treatment
O. Peña, A. Perrin, C. Perrin and M. Sergent 373

Effect of the thermal treatment on the superconductivity behaviour of the $YBa_2Cu_3O_{7-x}$ phase
E. Pollert, J. Hejtmánek, K. Jurek, A. Tříska, P. Vašek and D. Zemanová 375

Phase diagram of the pseudobinary $BaCuO_2$–$YBa_2Cu_3O_{6.5}$–$YCuO_{2.5}$ system
M. Nevřiva, E. Pollert, J. Šesták, L. Matějková and A. Tříska 377

Preparative chemistry consequences on Y–Ba–Cu–O superconducting compounds
I. Halász, I. Kirschner, T. Porjész, Gy. Kovács, T. Kármán, Gy. Zsolt, Cs. Sükösd, N.S. Rozlosnik and J. Kürti 379

TEM studies on melt quenched $YBa_2Cu_3O_{7-\delta}$ superconductors
G.V.S. Sastry, R. Wördenweber, K. Heinemann and H.C. Freyhardt 381

Preparation of high-T_c superconductors from the melt
H. Schlüter and H.-J. Güntherodt 383

Firing process of superconductive $YBa_2Cu_3O_{7-x}$ thick films by rapid-quenching
K. Takahashi, S. Shimomura, M. Tsutsumi, M. Seidoh and K. Kakegawa 385

Influence of thermal treatment on the characterization of $YBa_2Cu_3O_{7-x}$ ceramics
S. Vilminot, S. El Hadigui and C. His 387

Diamagnetism and electrical connectivity in an inhomogeneous $Ba_2YCu_3O_{7-x}$ superconductor
X. Obradors, C. Rillo, M. Vallet, A. Labarta, J. Fontcuberta, J. Gonzalez-Calbet and F. Lera 389

Comparison of the magnetization behaviour in conventional and high-T_c Y–Ba–Cu–O superconductors
E.-W. Scheidt, M. Schaefer, H. Riesemeier and K. Lüders 391

Effect of explosive-shock processing on the structure and superconducting properties of $YBa_2Cu_3O_{7-\delta}$
Z. Iqbal, N. Thadhani, H. Eckhardt, A. Bose and B.L. Ramakrishna 393

New phases in the Y–Ba(Sr)–Cu and Bi–Sr, Ca–Cu oxides
Z. Iqbal, J. Barry, B.L. Ramakrishna, F. Reidinger, A. Bose and H. Eckhardt 395

$YBa_2Cu_3O_{7-x}$ superconducting oxides obtained by melting
G.A. Costa, M. Ferretti, M.L. Fornasini, G.L. Olcese, M.R. Cimberle, C. Ferdeghini, G.L. Nicchiotti, M. Putti, C. Rizzuto and A.S. Siri 397

Interface studies on screen printed YBCO superconducting ceramics
F. Wellhofer, J.S. Abell, D. Holland and E.A. Logan 399

Studies of the P–T–x phase diagram of the $YBa_2Cu_3O_{7\pm x}$ system up to 2800 bar O_2
J. Karpinski, K. Conder and E. Kaldis 401

Volume dependence of high-T_c superconductors
R. Griessen, A. Driessen, H. Hemmes and R. Wijngaarden 403

Superconducting $YBa_2Cu_3O_7$ prepared by arc melting & laser melting
X.Z. Wang, K. Donnelly, M. McLoughlin, J. Lunney and J.M.D. Coey 405

On the route epitaxial growth of $YBa_2Cu_3O_7$ superconducting thin films by molecular beam epitaxy
R. Cabanel, J.P. Hirtz, P. Etienne, L. Fruchter, C. Giovannella and G. Creuzet 407

A2.7. Materials. Single crystals

High T_c superconductivity in $LnBa_2Cu_3O_{7-y}$ (Ln = Y,Gd,Dy,Yb) single crystal with large size
Z. Chen, Y. Qian, D. Sun, M. Fang, J. Xia, Z. Zhao, Y. Zhao and W.Y. Kuan 409

Some unusual growth habits of single crystal $YBa_2Cu_3O_{7-\delta}$
K.N.R. Taylor, P. Cook, T. Puzzer, D.N Matthews, G.J. Russell and P. Goodman 411

Growth of large single crystals of oxide superconductor $YBa_2Cu_3O_x$
H. Takeya and H. Takei 413

Growth properties of $YBa_2Cu_3O_7$ single crystals
Gy. Szabo, Z. Juhasz, B. Keszei, L. Gosztonyi, J. Vandlik, G. Battistig and S. Sandor 415

Anisotropic magnetization in single crystal $ErBa_2Cu_3O_{7-x}$
T.J. Folkerts, P. Klavins and R.N. Shelton 417

Growth and characterization of $YBa_2Cu_3O_{7-\delta}$ single crystals
H. Savary, L. Pierre, J. Schneck, J. Sapriel and J.C. Toledano 419

Preparation and analysis of $YBa_2Cu_3O_7$ single crystals
P. Müller, K. Andres, F. Groβ, H. Veith and R. Hackl 421

$Ba_2Pr^{4+}_{0.3}Pr^{3+}_{0.7}Cu^{3+}_{0.7}Cu^{2+}_{2.3}O_7$: crystal growth, structure and magnetic properties
E. Moran, U. Amador, M. Barahona, M.A. Alario-Franco, A. Vegas and J. Rodriguez-Carvajal 423

Growth and characterization of $YBa_2Cu_3O_{7-\delta}$ single crystals
H. Katayama-Yoshida, T. Yonezawa, H. Hirooka, Y. Okabe, T. Takahashi, T. Sasaki, M. Hongoh, K. Yamada, T.Suzuki, S. Hosoya, M. Sato, T. Ciszek and S.K. Deb 425

Growth of single crystals of high T_c superconducting $YBa_2Cu_3O_{7-\delta}$
J. Jegoudez, A. Revcolevschi and P. Monod 427

Crystal growth and characterization of $Y_1Ba_2Cu_3O_7$
J. Kowalewski, D. Nikl and W. Assmus 429

Approach to growth of free crystals of YBCO
F. Licci, H.J. Scheel and T. Besagni 431

Superconductivity and antiferromagnetism in $MgCu_2$-type cubic Laves phase compounds of Co–V–Zr system
H.R. Khan and O. Loebich 433

A2.8. Superconductivity. Heavy fermions; Chevrel phases, etc.

Effects of lattice disorder on the heavy-fermion-systems $CeCu_2Si_2$, $CeCu_6$, and UPt_3
G. Adrian and H. Adrian 435

Low temperature measurements on UBe_{13}
J.P. Brison, J.C. Lasjaunias, A. Ravex, J. Flouquet, D. Jaccard, Z. Fisk and J.L. Smith 437

Temperature dependence of the London penetration depth in the heavy fermion superconductors $CeCu_2Si_2$ and UPt_3
F. Gross, B.S. Chandrasekhar, K. Andres, U. Rauchschwalbe, E. Bucher and B. Lüthi 439

Magnetic relaxation effects in bulk $CeCu_2Si_2$ at $H < H_{Cl}$
A.C. Mota, P. Visani and A. Pollini 441

Magnetic order in $Ce(Cu_{1-x}Ag_x)_6$
A.K. Gangopadhyay, J.S. Schilling, H.D. Yang, R.N. Shelton, E. Schuberth, P. Gutsmiedl, F. Gross and K. Andres 443

Anisotropy of the Hall effect in UPt_3
J. Schoenes and J.J.M. Franse 445

Evolution of ferromagnetism from the heavy fermion state in $CePt_xSi$ ($0.7 \leqslant x \leqslant 1.0$)
R.N. Shelton, P. Klavins, W.H. Lee and H.C. Ku 447

Pair breaking effects in heavy fermion superconductors
P. van Aken, F.R. de Boer, H. Spille, M. Winkelmann, U. Ahlheim, C.D. Bredl and F. Steglich 449

The anisotropic magnetoresistance of UPt_3 at low temperatures
L. Taillefer, F. Piquemal and J. Flouquet 451

Far infrared optical properties of heavy fermion superconductors: UBe_{13} and URu_2Si_2
D.A. Bonn, R.J. Klassen, J.D. Garrett, T. Timusk, J.L. Smith and Z. Fisk 453

Static magnetic ordering of $CeCu_{2.1}Si_2$ found by muon spin relaxation
Y.J. Uemura, W.J. Kossler, X.H. Yu, H.E. Schone, J.R. Kempton, C.E. Stronach, S. Barth, F.N. Gygax, B. Hitti, A. Schenck, C. Baines, W.F. Lankford, Y. Ōnuki and T. Komatsubara 455

Thermal conductivity and thermal expansion of the heavy fermion superconductor URu_2Si_2
M.A. Lopez de la Torre, S. Vieira, R. Villar, M.B. Maple and M.S. Torikachvili 457

Extreme type II and non-B.C.S. behaviours in the quasi-one-dimensional superconductor $Tl_2Mo_6Se_6$
R. Brusetti, P. Monceau, M. Potel, P. Gougeon and M. Sergent 459

Calorimetric determination of H_{c2} of $PbMo_6S_8^+$
D. Cattani, J. Cors, M. Decroux, B. Seeber and Ø. Fischer 461

Investigation of the structure of the Nb barrier of Chevrel phase composite
M. Couach, A.F. Khoder, F. Monnier, M. Sergent, R. Chevrel, L. Le Lay and P. Dubots 463

Superconducting properties of the low dimensional lithium molybdenum purple bronze $Li_{0.9}Mo_6O_{17}$
M. Boujida, C. Escribe-Filippini, J. Marcus and C. Schlenker 465

Pressure dependence of the T_c of superconducting metal-hydrides, measured in a diamond anvil cell
H. Hemmes, A. Driessen, R. Griessen, R.J. Wijngaarden, J. Caro, S. Radelaar and M. Gupta 467

Improvements in the properties of NbN films through the presence of small amounts of aluminum during sputtering
E.L. Haase 469

Effects of electron diffusivity and Coulomb interaction in superconducting amorphous films
B. Hensel, M. Lippert and H. Adrian 471

Verification of the Takahashi–Tachiki effect using multilayers consisting of Nb and $Nb_{0.6}Ti_{0.4}$
M.G. Karkut, V. Matijasevic, L. Antognazza, J.-M. Triscone, N. Missert, M.R. Beasley and Ø. Fischer 473

Lattice softening and superconductivity in Cl doped cadmium sulphide
R.K. Maccrone and S.J. Nettel 475

Transition temperature of aluminium–tellurium composites
M.G. DiStefano, R.S. Newrock, H.-K. Sin and S.A. Dodds 477

Inhomogeneities and critical magnetic fields of aluminum–tellurium composites
M.G. DiStefano, R.S. Newrock, H.-K. Sin and S.A. Dodds 479

Superconducting state of $Ca_xMo_6S_8$ at ambient pressure
C. Geantet, R. Horyn, J. Padiou, O. Peña and M. Sergent 481

Superconductivity and magnetism in $GdMo_6Se_8$
K. Rogacki and C. Sułkowski 483

Superconductivity in silicon-rich RE–Os–Si compounds
L. Schellenberg, H.F. Braun, C.U. Segre, M. Gueramian, B. Chabot, M. Decroux, D. Cattani and J. Muller -

A2.9. Superconductivity. Organics

Anomalous NMR relaxation in an organic superconductor $(BEDT–TTf)_2Cu(NCS)_2$
T. Takahashi, T. Tokiwa, K. Kanoda, H. Urayama, H. Yamochi and G. Saito 487

Ordered Pd^{2+}–Cu^{2+} substitution in 1.2.3. superconductor: the oxide $YBa_2Cu_{3-x}Pd_xO_y$ ($x \approx 0.5$) with Pd^{2+} in square planar coordination
G. Ferey, A. Le Bail, Y. Laligant, M. Hervieu, B. Raveau, A. Sulpice and R. Tournier 489

Critical fields of the ambient pressure stable superconducting state at 8 K of the organic metal α_t-$(BEDT–TTF)_2I_3$
E. Gogu, D. Schweitzer and H.J. Keller 491

NMR investigations of the organic metals and superconductors α-(BEDT–TTF)$_2$I$_3$, β-(BEDT–TTF)$_2$I$_3$ and α_t-(BEDT–TTF)$_2$I$_3$
I. Hennig, U. Haeberlen, I. Heinen, D. Schweitzer and H.J. Keller 493

A2.10. Superconductivity. New materials

A new form of high-T_c superconductors; nanocrystals of $Eu_1Ba_2Cu_3O_{7-\delta}$
J.A. Cowen, R.J. Rencsok and S.T. Spees Jr. 495

$Y_{3-x}Ba_{3+x}Cu_6O_{14+\delta}$ system: a new family of superconductors
A.M. Umarji, P. Somasundaram and C.N.R. Rao 497

Constitution and synthesis of high-T_c superconductors
U. Braun, L. Deimling, R. Hu, C. Jiang, S.M. Green, P.-G. Häberle, V. Hofheinz, A. Keschtkar, H.L. Luo, U. Meeh, Y. Mei, C. Politis, F. Stubhan and I. Wolf 499

Search for superconductivity in mixed niobium oxides
G.V. Subba Rao, S. Natarajan and U.V. Varadaraju 501

Synthesis and electrical properties of V-phases ($A_4M_4X_7$)
S. Natarajan and G.V. Subba Rao 502

Observation of diamagnetism in La–Sr–Nb–O films up to room temperature
T. Ogushi, S. Higo, G.N. Suresha, Y. Honjo, Y. Hakaraku and L. Rinderer 504

High temperature superconductivity in ceruloplasmin
G. Giaquinta, G. Falci, R. Fazio, S. Onori and S. Cannistraro 506

Electronic magnetic and thermodynamic anomalies observed in sintered copper oxide
A. Paleari, F. Parmigiani, G.B. Parravicini, N. Ripamonti, G. Samoggia and M. Scagliotti 508

Comparison of microwave absorption in single-crystal and ceramic YBaCuO
E.J. Pakulis, T. Osada, F. Holtzberg and D. Kaiser 510

B1. Invited papers (Tuesday, 1 March 1988) 513

B1.1. Plenary session

Static and dynamic spin correlations and antisymmetric exchange in La_2CuO_4
R.J. Birgeneau, M.A. Kastner, A. Aharony, G. Shirane and Y. Endoh 515

Properties of films of high-T_c perovskite superconductors
A. Kapitulnik 520

B1.2. Symposium – Theory I. RVB and related models

The theory of high T_c superconductors – comparisons with experiment
P.W. Anderson, G. Baskaran, Z. Zou, J. Wheatley, T. Hsu, B.S. Shastry, B. Doucot and S.-D. Liang 527

The low temperature properties of a short-ranged resonating-valence-bond superconductor
S. Kivelson and D.S. Rokhsar 531

Fermi liquid description of $La_{2-x}Sr_xCuO_4$
G. Kotliar, P.A. Lee and N. Read 538

Superconductivity in correlated wavefunctions
C. Gros, D. Poilblanc, T.M. Rice and F.C. Zhang 543

Antiferromagnetism and superconductivity: can a Hubbard U do it all by itself?
J.E. Hirsch, E. Loh, D.J. Scalapino and S. Tang 549

The hole spin model for oxides
T.V. Ramakrishnan 555

B1.3. Symposium on chemistry and structure

Studies of oxygen-deficient $Ba_2YCu_3O_{7-\delta}$ and superconductivity Bi(Pb)–Sr–Ca–Cu–O
R.J. Cava, B. Batlogg, S.A. Sunshine, T. Siegrist, R.M. Fleming, K. Rabe, L.F. Schneemeyer, D.W. Murphy, R.B. van Dover, P.K. Gallagher, S.H. Glarum, S. Nakahara, R.C. Farrow, J.J. Krajewski, S.M. Zahurak, J.V. Waszczak, J.H. Marshall, P. Marsh, L.W. Rupp Jr., W.F. Peck and E.A. Rietman 560

Preparation, structure and properties of the high T_c Bi-based and Y-based cuprates
J.M. Tarascon, P. Barboux, L.H. Greene, B.G. Bagley, G.W. Hull, Y. LePage and W.R. McKinnon 566

Superconductivity and magnetism in the high T_c copper oxides
D.C. Johnston, S.K. Sinha, A.J. Jacobson and J.M. Newsam 572

B1.4. Panel on twinning and oxygen deficiency

Oxygen vacancy ordering and superconductivity in $YBa_2Cu_3O_{7-x}$
J.D. Jorgensen, H. Shaked, D.G. Hinks, B. Dabrowski, B.W. Veal, A.P. Paulikas, L.J. Nowicki, G.W. Crabtree, W.K. Kwok, L.H. Nunez and H. Claus 578

Oxygen vacancy ordering, twinning and Cu substitution in $YBa_2Cu_3O_{6+x}$
J.-L. Hodeau, P. Bordet, J.-J. Capponi, C. Chaillout and M. Marezio 582

Microtwinning and minibands in the RE(1)Ba(2)Cu(3)O($7-\delta$) superconductors
D. Wohlleben, J.F. Smith, F.M. Mueller and S.P. Chen 586

Studies of superconducting oxides with a solid-state ionic technique
B.T. Ahn, T.M. Gür, R.A. Huggins, R. Beyers, E.M. Engler, P.M. Grant, S.S.P. Parkin, G. Lim, M.L. Ramirez, K.P. Roche, J.E. Vazquez, V.Y. Lee and R.D. Jacowitz 590

Temperature dependent structural studies of high T_c oxide superconductors
D.T. Keane, G.A. Held, J.L. Jordan-Sweet, M.W. Shafer, P.M. Horn, G. Guntherodt, J. Langen, M. Weit, A. Erle, S. Blumenroder and E. Zirngiebl 594

Thermodynamics of oxygen-vacancy ordering in $YBa_2Cu_3O_z$
A. Berera, L.T. Wille and D. de Fontaine 598

B1.5. Session on new oxide superconductors

New high-T_c superconductors without rare earth element
H. Maeda, Y. Tanaka, M. Fukutomi, T. Asano, K. Togano, H. Kumakura, M. Uehara, S. Ikeda, K. Ogawa, S. Horiuchi and Y. Matsui 602

New oxide superconductors
M.A. Subramanian, C.C. Torardi, J. Gopalakrishnan, J.C. Calabrese, K.J. Morrissey, T.R. Askew, R.B. Flippen, U. Chowdhry, A.W. Sleight, J.J. Lin and S.J. Poon 608

B2. Contributed papers (Tuesday, 1 March 1988) 613

B2.1. Bismuth papers

Superconductivity in the system Bi–Sr–Ca–Cu–O
B. Seebacher and G. Schindler 615

Properties of the new Bi–Sr–Ca–Cu–O superconductors
F. Lichtenberg, C. Rossel, J.G. Bednorz and A. Reller 617

Superstructure of the superconductor $Bi_2Sr_2CaCu_2O_8$ by high resolution electron microscopy
E.A. Hewat, P. Bordet, J.J. Capponi, C. Chaillout, J.L. Hodeau and M. Marezio 619

Point contacts from $BiCaSrCu_2O_x$
A.Th.A.M. de Waele, W.A. Draisma, H.J. van Schevicoven, R.W. van der Heijden, D.M. de Leeuw, C.A.H.A. Mutsaers and G.P.J. Geelen 621

Powder X-ray and neutron diffraction study of the superconductor $Bi_2Sr_2CaCu_2O_8$
P. Bordet, J.J. Capponi, C. Chaillout, J. Chenavas, A.W. Hewat, E.A. Hewat, J.L. Hodeau, M. Marezio, J.L. Tholence and D. Tranqui 623

High-T_c superconductivity in Bi–Sr–Ca–Cu–O system
N.V. Anshukova, A.I. Golovashkin, O.M. Ivanenko, K.V. Kraiskaya and K.V. Mitsen 625

Investigations of the new high temperature superconductor $BiSrCaCu_2O_x$
I.Z. Kostadinov, M. Mikhov, V. Hadjiev, M. Iliev, O. Petrov, M. Mateev, S. Tinchev, J. Tihov, E. Dinolova, Ts. Zheleva, V. Popov, G. Tyuliev, V. Kojouharov and Ts. Ivanov 627

Electronic structure of $Bi_2Sr_2CaCu_2O_8$ high-T_c superconductors
F. Herman, R.V. Kasowski and W.Y. Hsu 629

Critical fields of the high-T_c BiCaSrCuO compound
J.-P. Locquet, M. d'Halle, J. Vanacken, W. Boon, I.K. Schuller, C. van Haesendonck and Y. Bruynseraede 631

B2.2. Electronic properties. Optical; Microwave

Microwave absorption study of a lead Chevrel-phase compound
A.M. Portis, K.W. Blazey, C. Rossel and M. Decroux 633

Measurements of microwave impedance of YBaCuO superconductors
W.J. Radcliffe, J.C. Gallop, C.D. Langham, M. Gee and M. Stewart 635

Plasmon in oxides of the La_2CuO_4 family infrared reflectivity in polarized light
F. Gervais, P. Echegut, J.-M. Bassat and P. Odier 637

Far-infrared reflectivity and dynamical conductivity of $YBa_2Cu_3O_7$
W. Ose, P.E. Obermayer, H.H. Otto, T. Zetterer, H. Lengfellner, N. Tasler, J. Keller and K.F. Renk 639

Low-frequency current–voltage measurements on the copper oxide superconductors
Y. Schlesinger, S. Havlin and I. Felner 641

Optical response of $MBa_2Cu_3O_7$-type materials
M. Garriga, U. Venkateswaran, K. Syassen, J. Humlicek, M. Cardona, Hj. Mattausch and E. Schönherr 643

Dependence of IR absorption in $YBa_2Cu_3O_{7-y}$ on the oxygen content
G. Ruani, C. Taliani, R. Zamboni, D. Cittone and F.C. Matacotta 645

IR photoinduced absorption of the semiconducting modification of YBaCuO
C. Taliani, R. Zamboni, G. Ruani, F.C. Matacotta and K.I. Pokhodnya 647

High frequency resitivity in $La_{2-x}Sr_xCu_{1-y}Co_yO_4$ ceramics
M. Maglione, R. Böhmer, P. Lunkenheimer, M. Lotze, A. Loidl and S. Kemmler-Sack 649

Optical spectra and electronic properties of $La_{2-x}Sr_xCuO_4$
J. Tanaka, M. Shimada, U. Mizutani and M. Hasegawa 651

Anisotropy in optical spectra of the single crystal of $EuBa_2Cu_3O_{7-y}$
J. Tanaka, K. Kamiya and S. Tsurumi 653

Optical properties of high-T_c copper oxides
H. Ishii, I. Rittaporn, H. Takagi, S. Tajima, S. Uchida, S. Tanaka, M. Suzuki, T. Murakami, M. Seki and S. Suga 655

Electronic- and phononic structure of $La_{1-x}Sr_xCuO_4$
L. Degiorgi, E. Kaldis and P. Wachter 657

Nonlinear microwave response to oscillating field: critical current and field penetration in high-T_c oxides
M. Stalder, G. Stefanicki, M. Warden, A.M. Portis and F. Waldner 659

Optical spectra of $Yba_2Cu_3O_{7-\delta}$ between 0.15 and 6 eV
H.P. Geserich, B. Koch, G. Scheiber, J. Geerk, H.C. Li, G. Linker, W. Weber and W. Assmus 661

Superconducting energy gap and phonon spectra in $MBa_2Cu_3O_{7-x}$ type materials
A. Wittlin, L. Genzel, M. Cardona, M. Bauer, Hj. Mattausch, A. Simon, F. Garia-Alvarado, E. Garcia, M. Barahona and M.V. Cabanas 663

Surface impedance measurements of energy gap in high-T_c superconductors
A.V. Andrienko, V.I. Ozhogin, L.V. Podd'yakov and A.Yu. Yakubovskii 665

Submillimetre properties of high-T_c superconductors
B.P. Gorshunov, G.V. Kozlov, S.I. Krasnosvobodtsev, E.V. Pechen, A.M. Prokhorov, A.S. Prokhorov, O.I. Syrotynsky and A.A. Volkov 667

Detection of T_c in $YBa_2Cu_3O_7$ single crystals by ESR; identification of the magnetic centers
A. Deville, B. Gaillard, H. Noël, M. Potel, P. Gougeon and J.C. Levet 669

B2.3. Theory. Phenomenology

Generalised Ginzburg–Landau theory for high-T_c superconductors
T.C. Choy, M.P. Das and H.-X. He 671

Phenomenological description of a superconductor with an anisotropic order parameter
F. Guinea 673

Influence of dissipation on the finite temperature phase transition in Josephson junction arrays
A. Kampf and G. Schön 675

A second superconducting transition in anisotropic superconductors
D.S. Hirashima 677

Generalized Ginzburg–Landau functional for high-T_c superconductors in magnetic field in the critical region
M.L. Kulić and H. Stenschke 679

Thermodynamics of high-T_c superconductors with periodical array of twinning planes
A.I. Buzdin, M. Kulić and S.V. Polonskii 681

Phenomenological theory of localized superconductivity in systems with twinning
Yu.A. Danilov and V.L. Safonov 683

Soft modes and superconductivity in Cl doped cadmium sulphide
S.J. Nettel and R.K. Maccrone 685

A Ginzburg–Landau approach for the $Ba_2YCu_3O_{7-\delta}$ superconductor
J.-L. Shen, T. Xiang and Z.-B. Su 687

Magnetic properties of anisotropic extreme type II superconductors
N. Schopohl and A. Baratoff 689

A theoretical interpretation of μSR experiments to measure the London penetration depth in anisotropic type II superconductors
W. Barford and J.M.F. Gunn 691

Optical absorption line shape at a CDW-gap: application to $BaBiO_3$
C. Bruder 693

Multi-component order parameter for $YBa_2Cu_3O_{7-\delta}$ and other high-T_c compounds
H.R. Brand and M.M. Doria 695

Kinetic equation for electrons in strongly disordered systems
G. Strinati, C. Castellani and C. Di Castro 697

Thermodynamic critical fields in high-T_c superconductivity
D.P. Clougherty and K.H. Johnson 699

Analysis of Hall data in ceramic samples of 90 K oxide superconductors
D.M. Eagles 701

Theory of fluctuation conductivity, fluctuation specific heat, and slope of H_{c2} in high-T_c superconductors
L. Tewordt, D. Fay and Th. Wölkhausen 703

Theory of NMR for superconducting superlattices
K. Kuboki and H. Fukuyama 705

Study of superconductivity based on a phenomenological model Hamiltonian of an interacting fermion and boson gas
A.P. Harrington, D.K. Ray and G.A. Gehring 707

A functional integral approach to the Anderson lattice with f–f hopping
A.P. Harrington, D.K. Ray and G.A. Gehring 709

Properties of microscopic superconducting glasses
R. Oppermann 711

Anisotropy effects in the system La–Sr–Cu–O
W. Pint, M. Prohammer and E. Schachinger 713

Electromagnetic response of unconventional superconductors
K. Scharnberg, D. Walker, R.A. Klemm and C.T. Rieck 715

Symmetry properties of superconductivity in high T_c superconductors
M. Sigrist and T.M. Rice 717

Phenomenological theory of the superconductivity phase diagram of $U_{1-x}Th_xBe_{13}$
M. Sigrist and T.M. Rice 719

Coupled order parameters approach to phase transitions in granular superconductors
G. Falci, R. Fazio and G. Giaquinta 721

Phase dependent renormalization in granular superconductors
R. Fazio, G. Falci and G. Giaquinta 723

B2.4. Magnetic properties. Resonance

^{139}La and ^{45}Sc NMR–NQR study of La_2CuO_4 and Sc_2CuO_4
J. Ziolo, F. Borsa, M. Corti and A. Rigamonti 725

Nuclear spin lattice relaxation of ^{139}La in $La_{1.8}Sr_{0.2}CuO_{4-\delta}$ and La_2CuO_4
F. Hentsch, H. Seidel, M. Mehring, J.G. Bednorz and K.A. Müller 727

Hyperfine interaction at ^{19}F and ^{62}Cu in $YBa_2Cu_3O_7$ and related compounds
H.-E. Mahnke, H.H. Bertschat, K. Biedermann, R. Kowallik, W. Müller, B. Spellmeyer, A. Weidinger, W.-D. Zeitz, C. Politis, H. Eickenbusch, W. Paulus and R. Schöllhorn 729

Quadrupole coupling in superconducting and semiconducting $YBa_2Cu_3O_y$ and $GdBa_2Cu_3O_y$
H. Lütgemeier, M.W. Pieper, W. Boehner, U. Köbler, J. Hauck, K. Fischer, F. Zucht, B. Rupp and H. Ebert 731

Magnetic phase diagram in $(La_{1-x}Ba_x)_2CuO_4$
Y. Kitaoka, K. Ishida, T. Kobayashi, K. Amaya and K. Asayama 733

Similarity between the Cu(2)–O–planes in tetragonal and orthorhombic $YBa_2Cu_3O_{7-\delta}$ as probed by ^{89}Y NMR
H.B. Brom, G.J. Kramer, J. van den Berg and J.C. Jol 735

Assignment of Cu NQR frequencies and Cu spin–spin relaxation in $YBa_2Cu_3O_{7-\delta}$
M. Mali, J. Roos and D. Brinkmann 737

NQR characterization of differently prepared $YBa_2Cu_3O_{7-\delta}$ samples
H. Zimmermann, D. Brinkmann, M. Mali, J. Roos, F. Greuter and P. Kluge-Weiss 739

NMR an NQR study of $La_{1.85}Sr_{0.15}CuO_4$ and $YBa_2Cu_3O_{6+x}(x = 0,0.25)$
P. Butaud, M. Horvatic, Y. Berthier, P. Segransan, C. Berthier, P. Lejay and J.Y. Henry 741

ESR in $YBa_2Cu_3O_{7-\delta}$ crystals
J. Albino, O. de Aguiar, A.A. Menovsky, J. van den Berg and H.B. Brom 743

Paramagnetic resonance and microwave studies of $YBa_2Cu_3O_{7-\delta}$ and $SmBa_2Cu_3O_{7-\delta}$
J. Dumas, B. Laayadi, R. Buder, J. Marcus and C. Schlenker 745

EPR investigations of undoped and gadolinium doped $YBa_2Cu_3O_{7-\delta}$
S. Benakki, E. Christoffel, A. Goltzene and C. Schwab 747

EPR and static susceptibility of $YBa_2Cu_3O_{7-x}$ with various oxygen content
K. Kanoda, T. Takahashi, T. Kawagoe, T. Mizoguchi, M. Hasumi and S. Kagoshima 749

μ^+SR studies in the Chevrel phase superconductors
P. Birrer, F.N. Gygax, B. Hitti, E. Lippelt, A. Schenck, D. Cattani, J. Cors, M. Decroux, Ø. Fischer and S. Barth 751

μSR-lineshape of an anisotropic type-II superconductor in the mixed state
M. Celio, T.M. Riseman, R.F. Kiefl, J.H. Brewer and W.J. Kossler 753

A μ^+SR study of the magnetic properties of $La_{1.85}Sr_{0.15}CuO_4$
S. Barth, P. Birrer, D. Cattani, J. Cors, M. Decroux, Ø. Fischer, F.N. Gygax, B. Hitti, E. Lippelt and A. Schenck 755

Temperature dependence of the magnetic penetration depth in $YBa_2Cu_3O_7$ measured by muon spin rotation
R.F. Kiefl, T.M. Riseman, G. Aeppli, E.J. Ansaldo, J.F. Carolan, R.J. Cava, W.N. Hardy, D.R. Harshman, N. Kaplan, J.R. Kempton, S.R. Kreitzman, G.M. Luke, B.X. Yang and D.Ll. Williams 757

Antiferromagnetism and superconductivity in $YBa_2Cu_3O_x$ studied by μSR
G.M. Luke, R.F. Kiefl, J.H. Brewer, T.M. Riseman, D.Ll. Williams, J.R. Kempton, S.R. Kreitzman, E.J. Ansaldo, N. Kaplan, Y.J. Uemura, W.N. Hardy, J.F. Carolan, M.E. Hayden and B.X. Yang 759

Magnetic properties and magnetic phase diagram of (RE)$Ba_2Cu_3O_x$ system
N. Nishida, H. Miyatake, D. Shimada, S. Okuma, T. Yamazaki, Y. Watanabe, Y. Kuno, M. Ishikawa, T. Takabatake, K. Nagamine, K. Nishiyama, J.H. Brewer and S.R. Kreitzmann 761

Muon spin rotation and NMR experiments on $YBa_2Cu_3O_{7-y}$
R. de Renzi, C. Bucci, G. Guidi, R. Tedeschi and F. Licci 763

Internal field distribution in polycrystalline samples of $YBa_2Cu_3O_7$
P. Birrer, F.N. Gygax, B. Hitti, E. Lippelt, A. Schenck, S. Barth, F. Hulliger and H.R. Ott 765

Coherent and incoherent order of holmium 4f-moments in the 90 K superconductor $HoBa_2Cu_3O_7$ below 300 mK
S. Barth, P. Birrer, F.N. Gygax, B. Hitti, F. Hulliger, E. Lippelt, H.R. Ott and A. Schenck 767

Comparison between muon spin rotation and neutron scattering studies on the 3-dimensional magnetic ordering of La_2CuO_{4-y}
Y.J. Uemura, W.J. Kossler, J.R. Kempton, X.H. Yu, H.E. Schone, D. Opie, C.E. Stronach, J.H. Brewer, R.F. Kiefl, S.R. Kreitzman, G.M. Luke, T. Riseman, D.Ll. Williams, E.J. Ansaldo, Y. Endoh, E. Kudo, K. Yamada, D.C. Johnston, M. Alvarez, D.P. Goshorn, Y. Hidaka, M. Oda, Y. Enomoto, M. Suzuki and T. Murakami 769

B2.5. Thin films. Preparation

Thin films of YBaCuO by e-beam evaporation
J.E. Mooij, D. van der Marel, H.M. Appelboom, A.J.G. Schellingerhout, R.H.M. van de Leur and D. Schalkoord 771

Y–Ba–Cu–O thin films deposited by mass-spectrometer controlled co-evaporation
H. Ohlsén, L. Stolt, J. Hudner and M. Östling 772

High-T_c superconducting thin films of $YBa_2Cu_3O_{7-x}$ obtained via d.c. sputtering on zirconium oxides, $SrTiO_3$ and YBa_2CuO_5
A. Perrin, Z.Z. Li, J. Padiou and M. Sergent 774

Preparation of $YBa_2Cu_3O_{7-y}$ thin films at low temperatures
U. Poppe, J. Schubert and W. Evers 776

Co-evaporation of Y–Ba–Cu–O films in an ultra high vacuum plant
J. Edlinger, H. Fischer, J.A. Koprio, G. Peter and J. Ramm 778

Rapidly annealing method for preparing superconducting films
H. Zhenghe, K. Tsushima, R. Malmhäll and K.V. Rao 780

Preparation of superconducting thin films of $YBa_2Cu_3O_7$ by DC magnetron-sputtering
P. Schmitt, H. Adrian, W. Gerhäuser, W. Möhle and B. Hensel 782

Thermal and plasma enhanced CVD of high-T_c superconductors
H. Suhr, Ch. Oehr, H. Holzschuh, F. Schmaderer, G. Wahl, Th. Kruck and A. Kinnen 784

Thin films of superconductng $Y_1Ba_2Cu_3O_{7-\delta}$ prepared by co-deposition
J.-M. Triscone, L. Antognazza, M.G. Karkut and Ø. Fischer 786

Fabrication of the superconducting $YBa_2Cu_3O_y$ thin films
K. Tsuda, M. Muroi, T. Matsui, Y. Koinuma, M. Nagano and K. Mukae 788

High-T_c yttrium barium copper oxide ceramics and thin films
R.W. Whatmore, D.A. Cardwell, J.W. Cockburn, A. Patel, P.C. Osbond, L.Y. Dorey, C.J. Wort and F.W. Ainger 790

Diffusion process for superconducting $YBa_2Cu_3O_x$-thin layers
J.W. Severin, G. de With, T.S. Baller and G.N.A. van Veen 792

Growth and properties of YBaCu-oxide superconducting thin films prepared by magnetron sputtering
X.X. Xi, H.C. Li, J. Geerk, G. Linker, O. Meyer, B. Obst, F. Ratzel, R. Smithey and F. Weschenfelder 794

High-T_c superconducting thin film fabrication by modified DC sputtering process
R.J. Lin, J.H. Kung and P.T. Wu 796

Thick films of $YBa_2Cu_3O_x$ fabricated from colloidal solutions
F. Kloucek, W.E. Rhine and H.K. Bowen 798

Critical current density of the Y–Ba–Cu–O superconducting filament produced by suspension spinning method
T. Goto, I. Horiba, M. Kada and M. Tsujihara 800

Preparation of high-T_c Y–Ba–Cu–O superconducting films by plasma spraying and suspension methods
W.F. Chu and F.-J. Rohr 802

Growth of high-T_c superconducting Y–Ba–Cu–O thin films by a chemical spray pyrolysis method
J.J. Chu, R.S. Liu, P.T. Wu and L.J. Chen 804

Structural and electrical properties of high-T_c superconducting $YBa_2Cu_3O_{7-x}$ sputtered thin films
P.L. Reydet, M. Brunel, J. Marcus, C. Escribe-Filippini and J.C. Bruyère 806

High-T_c superconducting thick-films: process conditions and characterisation of powders and films
E. Beyne, C. Deneffe, J. Roggen, J. Fransaer, O. Arkens and O. Vanderbiest 808

Single crystal $YBa_2Cu_3O_{7-x}$ thin films by activated reactive evaporation
Y. Bando, T. Terashima, K. Iijima, K. Yamamoto and H. Mazaki 810

Superconducting fluctuation effect in $YBa_2Cu_3O_{7-\delta}$ films and A-15 films
M. Akinaga, D. Abukay and L. Rinderer 812

Observation of boundary layer of $YBa_2Cu_3O_{7-\delta}$ films pasted on Al_2O_3, $SrTiO_3$ and YSZ substrates
K. Agatsuma, T. Ohara, H. Tateishi, K. Kaiho, K. Ohkubo and H. Karasawa 814

Difference FIR-reflectivity measurements of YBCO samples and their model dielectric function
G. Vogl, G. Strasser, E. Gornik, H. Krenn and G. Bauer 816

B2.6. Materials. Oxygen

Systematics of the $Y_xBa_{1-x}CuO_y$ superconductors
K.N.R. Taylor, D.N. Matthews, J. Cochrane, G.J. Russell, S. Bosi, H.B. Sun, G. Alvarez, N. Mondinos, B. Hunter, R.A. Vaile, A. Bailey and T. Puzzer 818

Synthesis of $Yba_2Cu_3O_{7-\delta}$ on the thermobalance and its superconducting and magnetic properties
N. Brničević, M. Paljević, Ž. Ružić-Toroš, M. Tonković, A. Kashta, M. Prester and E. Babić 820

Oxygen desorption from high- and low-T_c superconductors
J.-P. Locquet, H. Strauven, B. Wuyts, O.B. Verbeke, K. Zhang, I.K. Schuller, J. Vanacken, C. van Haesendonck and Y. Bruynseraede 822

Evolution of the superconducting properties in the La_2CuO_4 lattice versus oxygen pressure
G. Demazeau, F. Tresse, Th. Plante, B. Chevalier, J. Etourneau, C. Michel, M. Hervieu, B. Raveau, P. Lejay, A. Sulpice and R. Tournier 824

The determination of oxygen and trivalent copper content in Y–Ba–Cu–O superconductors
H.S. Tang, J.F. Deng, A.R. Jiang and Z.Y. Hua 826

The effect of the atmosphere on the thermal expansion of $YBa_2Cu_3O_{7-\delta}$
S. Julsrud, T. Helgesen, G. Rian, K. Fossheim, T. Lægreid and E. Sandvold 828

Crystallization of $YBa_2Cu_3O_{7+x}$ from nearly stoichiometric and nonstoichiometric melts, under oxygen pressures up to 2800 bar
J. Karpinski, C. Beeli, E. Kaldis, A. Wisard and E. Jilek 830

Spectroscopic structural and transport investigation of oxygen doping in $YBa_2Cu_3O_{7-\delta}$ and $YBa_2Cu_{3-x}Zn_xO_{7-\delta}$
H. Kuzmany, M. Matus, E. Faulques, S. Pekker, E. Zsoldos and L. Mihaly 832

Anisotropy of oxygen transport in $YBa_2Cu_3O_7$: the role of the [1/2,*b*,o] tunnels
M. Ronay and P. Nordlander 834

Chemical evidence for peroxide in $YBa_2Cu_3O_7$
M.W. Shafer, R.A. de Groot, M.M. Plechaty and G.J. Scilla 836

Determination of partial thermodynamic functions of $(YBa_2Cu_3)O_{6.5+x}$ in the 700–1200 K temperature range
F. Toci, A. Schürenkämper, M. Cambini, L. Manes 838

Superconducting $EuBa_2Cu_3O_{7-\delta}$ produced by oxidation of microcrystalline precursor alloys
F. Weiss, A.R. Yavari, A. Rouault, R. Madar, J.P. Senateur and P. Desre 840

Chemical doping an physical properties of superconducting perovskites
H. Gruber, H.P. Fritzer, K. Gatterer, W. Sitte and A. Popitsch 842

Study of the oxygen core deficiency in a single crystal of $YBa_2Cu_3O_{6.8}$ by AC susceptibility
M. Couach, A.F. Khoder, B. Barbara, J.Y. Henry, C. Ayache, E. Bonjour, R. Calemczuk and B. Salce 844

The superconducting transition in oxygen deficient $YBa_2Cu_3O_{7-\delta}$
H. Claus, G.W. Crabtree, W.K. Kwok and B.W. Veal 846

Theory of oxygen kinetics in $YBa_2Cu_3O_{7\pm x}$
H. Bakker, J.P.A. Westerveld and D.O. Welch 848

Effect of electron irradiation on properties of high-T_c superconductors
V.F. Zelenskij, I.M. Neklyudov, Yu.T. Petrusenko, A.N. Sleptsov and V.A. Finkel 850

Local structure of $YBa_2Cu_3O_y$ with varying oxygen content and substitutional dopants on the Cu sites

J.B. Boyce, F. Bridges, T. Claeson, R.S. Howland, T.H. Geballe and M. Nygren 852

Oxygen-ordering and AC-susceptibility in polycrystalline $YBa_2Cu_3O_{7-\delta}$ ($\delta = 0.15$–0.67)
H. Igarashi, Y. Kubo, T. Manako, T. Ichihashi, K. Baba and J. Tabuchi 854

3d impurities influence on the structure and the transition temperature in the Y–Ba–Cu–O system
M. Mehbod, P. Wyder, R. Deltour and P.H. Duvigneaud 856

Chemical substitution and pressure effects in high-T_c copper oxide superconductors
M.B. Maple, Y. Dalichaouch, E.A. Early, B.W. Lee, J.T. Marker, J.J. Neumeier, C.L. Seaman, K.N. Yang and H. Zhou 858

$RBa_2Cu_{3(1-x)}Fe_{3x}O_y$: microsttucture and superconductivity
M. Takano, Z. Hiroi, H. Mazaki, Y. Bando, Y. Takeda and R. Kanno 860

B2.7. Materials. Alloying

Magnetism and superconductivity in $YBa_2(Cu_{1-x}(Fe,Ni,Zn)_x)_3O_{7-\delta}$
K. Westerholt, M. Arndt, H.J. Wüller, H. Bach and P. Stauche 862

Studies of the $Sc_xY_{1-x}Ba_2Cu_3O_{7-\delta}$ system ($0 \leqslant x \leqslant 1$)
G. Svensson, Z. Hegedüs, L. Wang and Ö. Rapp 864

Superconductivity of $Y_1Ba_{2-x}Sr_xO_y$ system
H.M. Sung, J.H. Kung, J.M. Liang, R.S. Liu, Y.C. Chen, P.T. Wu and L.J. Chen 866

Superconducting and normal properties of $Y_{1-x}Ba_2C_3O_{7-y}$, $YBa_{2(1-x)}Cu_3O_{7-y}$
P.G. Vassilev 868

Critical current measurements in $YBa_2Cu_3O_{7-\delta}$/Sr,Fe samples
R. Wördenweber, K. Heinemann and H.C. Freyhardt 870

Superconducting, structural and magnetic properties of $Y_1Ba_2(Cu_{100-x}Fe_x)_3O_{7-\delta}$
B. Ullmann, R. Wördenweber, K. Heinemann, H.U. Krebs, H.C. Freyhardt and E. Schwarzmann 872

Structural, electrical and magnetic properties of Al and In substituted $YBa_2Cu_3O_v$
R. Suryanarayanan, O. Gorochov, M. Rateau and H. Pankowska 874

Low temperature specific heat of $YBa_2Cu_3O_{7-\delta}$
R. Caspary, C.D. Bredl, H. Spille, M. Winkelmann, F. Steglich, H. Schmidt, T. Wolf and R. Flükiger 876

Properties of Y–Ba–Cu–O superconductors with Ag addition
V. Plecháček, V. Landa, Z. Blažek, J. Šneidr, Ž. Trejvalová and M. Čermák 878

Magnetic study in Fe-doped $YBa_2Cu_3O_{7-\delta}$
K. Okuda, S. Noguchi, Y. Maeno and T. Fujita 880

The effect of added impurities on bulk Y–Ba–Cu–O
R.J.O. Järvinen, K.J. Niemi, T.A. Mäntylä, E.S. Heikkilä and P.T. Vuorinen 882

High-T_c superconductivity in $Y(Ba_{1-x}Mg_x)_2Cu_3O_{7-y}$ ($0 \leqslant x \leqslant 0.7$)
K. Mori, M. Sasakawa, Y. Isikawa, T. Okabe, K. Kobayashi, K. Sato and K. Rokudo 884

Magnetic, Raman, transport and structural properties of pure and substituted YBaCu–oxides
G. Leising, O. Leitner, P. Kranebitter, S. Kazmin, Y. Pang, R. Abt, G. Sprinholz, P. Knoll and R. Czaputa 886

Structural, electrical and magnetic properties of $Ba_2ReCu_{3-x}Fe_xO_{7-\delta}$ (Re = Y,Ho) high-T_c superconductors
X. Obradors, M. Vallet, J. Rodriguez, J. Fontcuberta, A. Labarta and J.M. Gonzalez-Calbet 888

Effect of iron substitution on the superconductivity in $Ba_2Y(Cu_{1-x}Fe_x)_3O_7$
M. Ishikawa, T. Takabatake, A. Tohdake, Y. Nakazawa, T. Shibuya and K. Koga 890

Effect of doping of cadmium oxide to Y–Ba–Cu oxide
I. Iguchi, A. Sugishita, M. Yanagisawa and S. Hosaka 892

Non-isovalent substitution of Ba^{2+} in superconducting $YBa_2Cu_3O_{7-y}$
A.K. Rajarajan, P. Guptasarma, V.R. Palkar, P. Ayyub, M.S. Multani, L.C. Gupta and R. Vijayaraghavan 894

Tunneling attempts in single-phase $Bi_4Sr_3Ca_3Cu_4O_{16+y}$ and chemical doping on the Cu-sites in 90 and 40 K superconductors
L.H. Greene, M. Giroud, B.G. Bagley, J.M. Tarascon, P. Barboux, P.F. Miceli and G.W. Hull 896

The effect of substituting potassium for barium on the superconductivity of $RBa_2Cu_3O_7$ (R = Y and Eu)
I. Felner, M. Kowitt, Y. Lehavi, L. Ben-dor, Y. Wolfus, B. Barbara and I. Nowik 898

T_c-suppression in $YBa_2Cu_3O_{7-y}$ as a function of 3d-element substitution
M. Veit, J. Langen, M. Galffy, H.D. Jostarndt, A. Erle, S. Blumenröder, H. Schmidt, E. Zirngiebl and G. Güntherodt 900

Doping effects on the 123-system
S.-G. Eriksson, L.-G. Johansson and C. Olsson 902

Effect of atomic substitution in high-temperature superconductors: $YBa_{2-x}M_xCu_3O_{7-\delta}$ (M = Na,K) and the system Bi–Ca–Sr–Cu–O
A. Gupta and H.F. Braun 904

Effect of Cu substitution by Zn, Cd and Hg upon superconductivity in $YBa_2Cu_3O_7$ and $La_{1.85}Sr_{0.15}CuO_4$
K. Remschnig, P. Rogl, R. Eibler, G. Hilscher, N. Pillmayr, H. Kirchmayr and E. Bauer 906

New synthesis route for cuprate oxide superconductors
M.K. Wu and B.H. Loo 908

Physical properties of the series of oxides $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ $(0 \leqslant x \leqslant 1)$
A.P. Gonçalves, I.C. Santos, E.B. Lopes, R.T. Henriques, M. Almeida, O. Figueiredo, J.M. Alves and M. Godinho 910

Magnetic susceptibility above T_c: connections with oxygen order in the $CuO_{1-\delta}$ plane
B. Barbara, A.F. Khoder, M. Couach, C. Ayache, E. Bonjour and R. Calemczuk 912

Modification of the properties of $GdBa_2Cu_3O_{7-\delta}$ and $NdBa_2Cu_3O_{7-\delta}$ by introduction of sulfur
B. Barbara, I. Felner, E. Bonjour and R. Calemczuk 914

T_c suppression and rare-earth valency in $Y_{1-x}M_xBa_2Cu_3O_{7-\delta}$ (M = Ce,Pr,Tb)
P. Sladeczek, U. Neukirch, C.T. Simmons, O. Strebel, C. Laubschat, D.D. Sarma and G. Kaindl 916

Pressure dependence of T_c in solid solutions of M–Ba–Cu–O (M = Y,Eu,Ho)
T. Suski, P. Wiśniewski, J. Igalson and P. Przysłupski 918

Superconducting transitions of the (Yb,Lu,Sc)$Ba_2Cu_3O_{7-\delta}$ systems
H.C. Ku, J.R. Hwang and M.F. Tai 920

Systematics of superconductivity in the $La_{2-x}CuO_{4-\delta}$ and $(La_{2-x}Ca_x)CuO_{4-\delta}$ systems
H.C. Ku, S.W. Hsu and S.Y. Tsaur 922

Superconductivity in $ABa_2Cu_3O_{7-x}$ compounds where $A = (R_1)_x(R_2)_{1-x}$ and R_1, R_2 = Y, Sm, Eu, Gd, Tb, Dy, Yb, Zr, Nb and La
A. Poddar, P. Mandal, P. Choudhury, A.N. Das and B. Ghosh 924

Superconductivity studies on $(Y_{1-x}Ln_x)YBa_2Cu_3O_7$, Ln = La,Pr,Tb
S. Natarajan, K. Chandrasekaran, K.A. Thomas, U.V. Varadaraju, G.V. Subba Rao, N.P. Raju, V. Sankaranarayanan and R. Srinivasan 926

Superconductivity and normal state properties of $YBa_2(Cu_{1-x}Ni_x)_3O_{7-\delta}$
H. Adrian, O. Bauer, H. Niederhofer, G. Adrian and S. Nielsen 928

Superconductivity and crystal structure in $Nd_{1-x+y}Ca_xBa_{2-y}Cu_3O_{7-d}$
H. Uwe, T.-S. Han, R. Harada and T. Sakudo 930

Phase characterization and superconductivity transitions in fluorinated YBaCuO
D. Morin, J. Schneck, L. Pierre, J. Primot, J.C. Toledano, F. Glas and J. Etrillard 932

Fluorination of high-T_c superconductors $YBa_2Cu_3O_x$: influence on the superconducting properties
C. Perrin, O. Peña, M. Sergent, P.S. Christensen, G. Fonteneau and J. Lucas 934

Cu-valence enhancement in Y–Ba–Cu–O–F high-T_c superconductors by site-controlled fluorine doping
H. Nakayama, H. Fujita, T. Nogami and Y. Shirota 936

Effect of fluorine on the superconductivity of $YBa_2Cu_3O_{7-y}$
R. Herrmann, N. Kubicki, H.-U. Müller, H. Dwelk, N. Pruss, A. Krapf and L. Rothkirch 938

B2.8. Lattice properties. Structure

Superconducting and structural properties of $Er_{1-x}R_xBa_2Cu_3O_y$ compounds with R = Yb,Ho,Gd,Eu,La,Y
L. Govea, R. Escudero, D. Rios-Jara, C. Piña, F. Morales, C. Wang and R.A. Barrio 940

On the crystallographic structure and electronic behaviour of $Pr_1Ba_2Cu_3O_y$
M.E. López-Morales, D. Ríos-Jara, J. Tagüeña-Martínez, R. Escudero and J. Gómez-Lara 942

Structural singularities of superconducting Y–Ba–Cu oxides
O. Figueiredo, J. Ferreira da Silva, A. Frey Ramos, M. Rosa Nunes, A. Correia dos Santos and F.M. Costa 944

Disordering of (Ba,Cu)-atoms as crucial determinant of the 90 K superconductivity in $YBa_2Cu_3O_{7-x}$ phase
R. Horyń, Z. Bukowski, M. Wołcyrz, I. Fiłatow, K. Rogacki, C. Sułkowski and J. Klamut 946

Strong correlation between T_c and lattice parameters in $Ba_2YCu_3O_y$
H. Ihara, H. Oyanagi, R. Sugise, E. Ohno, T. Matsubara, S. Ohashi, N. Terada, M. Jo, M. Hirabayashi, K. Murata, A. Negishi, Y. Kimura, E. Akiba, H. Hayakawa and S. Shin 948

Crystal structure and superconducting properties of $Nd_{1+x}Ba_{2-x}Cu_3O_{7+y}$
R.A. Steeman, E. Frikkee, R.B. Helmholdt, D.M. de Leeuw and C.A.H.A. Mutsaers 950

Structure and superconducting properties of $YBa_2(Cu_{1-x}Fe_x)_3O_7$
J. Bieg, J. Jing, H. Engelmann, Y. Hsia, U. Gonser, P. Gütlich and R. Jakobi 952

$GdBa_2Cu_3O_7$ under high pressure and at low temperatures
J. Ecke, W.H. Fietz, M.R. Dietrich, C.A. Wassilew, H. Wühl and R. Flükiger 954

A structural mechanism for the reduction of $Ba_2YCu_3O_{7-x}$
M. Alario-Franco and C. Chaillout 956

Change in weight of $YBa_2Cu_3O_x$ during heat-treatments
T.K. Bansal, S. Bansal and S.H. Smith 958

Evidence of a first order phase transition in $YBa_2Cu_3O_{6.9}$ at T = 230 K
R. Calemczuk, E. Bonjour, J.Y. Henry, L. Forro, C. Ayache, M.J.M. Jurgens, J. Rossat-Mignod, B. Barbara, P. Burlet, M. Couach, A.F. Khoder and B. Salce 960

Structural anomalies and non-linearity of Cu–O chains in $YBa_2Cu_3O_7$ by high resolution neutron powder diffraction
M. François, A. Junod, K. Yvon, P. Fischer, J.J. Capponi, P. Strobel, M. Marezio and A.W. Hewat 962

Structural study of $La_{1+x}Ba_{2-x}Cu_3O_y$
M. Izumi, A. Maeda, K. Uchinokura, T. Yabe, H. Asano, F. Izumi, T. Wada, T. Hasegawa and S. Tanaka 964

Two orthorhombic–tetragonal transitions in Fe-doped $YBa_2Cu_3O_y$ superconductors
H.-U. Krebs, O. Bremert and C. Michaelsen 966

Tetragonal–orthorhombic phase transition in $La_{2-x}Sr_xCuO_{4-y}$: symmetry analysis, pressure dependence and (T,P,x) phase diagram
R. Moret, J.P. Pouget, C. Noguera and G. Collin 968

Structural investigations of high temperature superconductors
Yu.A. Ossipyan, V.Sh. Shekhtman and I.M. Shmyt'ko 970

Crystallographic study of the tetragonal high-T_c superconductor $YBa_2(Cu_{0.95}Fe_{0.05})_3O_7$
G. Roth, G. Heger, B. Renker, J. Pannetier, V. Caignaert, M. Hervieu and B. Raveau 972

Structural phase transition and diamagnetism at 36 K in La_2CuO_4
M. Lang, H. Kneissel, B. Renker, H. Rietschel, H. Spille and F. Steglich 974

Structural study of superconducting $Ba_2YCu_3O_y$ under high pressure and high temperature
N. Terada, H. Ihara, M. Jo, M. Hirabayashi, K. Murata, H. Oyanagi, R. Sugise, O. Shimomura and T. Kikegawa 976

Structural phase transition of quenched $YBa_2Cu_3O_{7-y}$ with tetragonal phase
Y.-H. Zhang, Z.-J. Chen, Y.Z. Ruan, J. Wang, X.-L. Mao, H.-S. Yang, L.-P. Li, L. Chen, T.-Z. Cheng, G.-Y. Meng, D.-K. Peng and J.-B. Hu 978

The superconductivity and phase transition of the $YBa_2Cu_3O_{7-y}$ system with transitional structure from tetragonal phase to orthorhombic phase
J. Wong, Y. Yue, J.-B. Hu, D.-K. Peng, G.Y. Meng, C.-Y. Wang, L.-Z. Cao and Y.-H. Zhang 980

Local structure and valence states in $Ba_2YCu_3O_y$ studied by X-ray absorption fine structure
H. Oyanagi, H. Ihara, T. Matsubara, R. Sugise, M. Hirabayashi, T. Matsushita, M. Tokumoto, K. Murata, Y. Nishihara and Y. Kimura 982

Evidence for twin plane superconductivity in small particles of $YBa_2Cu_3O_{7-\delta}$
S. Vieira, S.A. Solin, N. Garcia, M. Hortal and A. Aguilo 984

X-ray studies of field-induced orientation of small superconducting $YBa_2Cu_3O_{7-x}$ particles
S.A. Solin, N. Garcia, S. Vieira and M. Hortal 986

Structure and topography of $YBa_2Cu_3O_x$
B. Rauschenbach, T. Reetz, W. Erfurth and H. Näfe 988

Electron microscopy of satellite structure and twinning in $HoBa_2Cu_3O_{7-x}$
H.-U. Nissen, Y. Kawamata, R. Wessicken, C. Beeli and F. Hulliger 990

Metallic interfaces in high-T_c superconductors
R. Nicolsky 992

Microstructure and critical current densities of oxide superconductors
M. Murakami, M. Morita, H. Teshima, K. Doi and S. Matsuda 994

Scanning tunneling microscopy on single crystal $YBa_2Cu_3O_7$
L.E.C. van de Leemput, P.J.M. van Bentum, J.W. Gerritsen, H. van Kempen and L.W.M. Schreurs 996

Analytical electron microscopy of $YBa_2Cu_3O_{7-x}$
Z. Chen, Y. Feng, J.S. Abell, F.W. Wellhofer, I.P. Jones, M.H. Loretto and R.E. Smallman 998

Scanning tunneling and scanning electron microscopy on high-T_c superconductors
D. Anselmetti, H. Heinzelmann, R. Wiesendanger, H. Jenny, H.-J. Guentherodt, M. Dueggelin and R. Guggenheim 1000

High resolution electron microscopy study of grain boundaries in sintered $YBa_2Cu_3O_{7-\delta}$
H.W. Zandbergen, R. Gronsky and G. Thomas 1002

Low temperature STM study on $YBa_2Cu_3O_7$
S. Vieira, M.A. Ramos, A. Buendia and A.M. Baro 1004

B2.9. Thermal properties. Materials

Low temperature thermal expansion and specific heat of $YBa_2Cu_3O_{7-\delta}$
S. Vieira, S. Bourgeal, R. Villar, A. Aguilo, M.A. Ramos and C. Moure 1006

Dependence of the low temperature specific heat of $YBa_2Cu_3O_{6+\delta}$ on preparation conditions
R. Ahrens, T. Wolf, H. Wühl, H. Rietschel, H. Schmidt and F. Steglich 1008

Heat conduction and thermal expansion of $YBa_2Cu_3O_{7-\delta}$ at low temperatures
G. Sparn, W. Schiebeling, M. Lang, R. Held, U. Gottwick, F. Steglich and H. Rietschel 1010

Specific heat of $YBa_2Cu_3O_{7-\delta}$ in magnetic fields up to 6 T
T. Sasaki, N. Kobayashi, O. Nakatsu, T. Matsuhira, A. Tokiwa, M. Kikuchi, Y. Syono and Y. Muto 1012

Low temperature thermal conductivity of $YBa_2Cu_3O_{6+x}$ ($x = 0.1 \rightarrow 0.9$) compounds
B. Salce, R. Calemczuk, C. Ayache, E. Bonjour, J.Y. Henry, M. Raki, L. Forro, M. Couach, A.F. Khoder, B. Barbara, P Burlet, M.J.M. Jurgens and J. Rossat-Mignod 1014

Evidence of tunneling systems through thermal and acoustic measurements in ceramic materials
M. Nuñez Regueiro, P. Esquinazi, M.A. Izbizky, C. Duran, D. Castello, J. Luzuriaga and G. Nieva 1016

Low temperature specific heat of $REBa_2Cu_3O_7$ in magnetic fields up to 5 T (Re = heavy rare earth)
H.P. van der Meulen, J.J.M. Franse, Z. Tarnawski, K. Kadowaki, J.C.P. Klaasse and A.A. Menovsky 1018

Specific heat evidence for a large energy gap in YBCO
J.W. Loram and K.A. Mirza 1020

Specific heat and strong-coupling effects in YBaCuO superconducting systems
E. Leyarovski, L. Leyarovska, N. Leyarovska, C. Popov and M. Kirov 1022

Thermal properties of triple oxides $LnBa_2Cu_3O_{7-y}$
V.B. Lazarev, I.S. Shaplygin, K.S. Gavrichev, I.A. Konovalova, V.E. Gorbunov and E.A. Tistchenko 1024

High resolution specific heat measurements in the ceramic superconductor $YBa_2Cu_3O_{7-x}$: anomalies near 90 K and 220 K

T. Lægreid, K. Fossheim, O. Trætteberg, E. Sandvold and S. Julsrud 1026

Thermal expansion measurements of $GdBa_2Cu_3O_7$
K. Kadowaki, F.E. Kayzel and J.J.M. Franse 1028

High-T_c superconducting properties of $SmBa_2Cu_3O_{7-x}$: thermal properties
C. Escribe-Filippini, K. Konate, R. Buder, J. Marcus and C. Schlenker 1030

Superconductivity and low temperature specific heat in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ systems (M = Zn and Fe)
R. Kuentzler, S. Vilminot, Y. Dossmann and A. Derory 1032

Low temperature thermal properties of La_2CuO_4 and superconducting $Ba_2YCu_3O_{7-x}$
A. Bernasconi, E. Felder, F. Hulliger, H.R. Ott, Z. Fisk, F. Greuter and C. Schueler 1034

Sample dependence of the linear term of the low temperature specific heat and Curie susceptibility of $YBa_2Cu_3O_{7-\delta}$
D. Eckert, A. Bezinge, A. Junod and J. Muller 1036

Low temperature specific heat of $YBa_3Cu_2O_7$, Y_2BaCuO_5, CuO and $BaCuO_{2+x}$
D. Eckert, A. Junod, T. Graf and J. Muller 1038

Superconducting, structural and electronic properties of R–Ba–Cu–O (R = Y,Ho)
H.R. Khan 1040

Superconducting thin films of Y.–Ba–Cu–oxide by sol–gel and CVD methods
C. Gonzalez-O, H. Schachner, H. Tippmann and F.J. Trojer 1042

High-T_c sputtered $YBa_2Cu_3O_x$ films
R.G. Humphreys, N.G. Chew, J.S. Satchell, J.A. Edwards and O.D. Dosser 1044

PART II

C1. Invited papers (Wednesday, 2 March 1988) 1047

C1.1. Plenary session

Computer applications of high temperature superconductivity
A.P. Malozemoff 1049

Superconductivity in organic charge transfer salts
T. Ishiguro 1055

C1.2. Symposium on electronic properties I

Superconducting and normal state parameters of $Bi_{2.2}Sr_2Ca_{0.8}Cu_2O_{8+\delta}$ single crystals: a comparison with $Ba_2YCu_3O_7$
B. Batlogg, T.T.M. Palstra, L.F. Schneemeyer, R.B. van Dover and R.J. Cava 1062

Electronic and phononic properties of high-T_c superconductors
H. Rietschel, J. Fink, E. Gering, F. Gompf, N. Nücker, L. Pintschovius, B. Renker, W. Reichardt, H. Schmidt and W. Weber 1067

Transport and tunneling studies on single crystals of $YBa_2Cu_3O_7$
N.P. Ong, Z.Z. Wang, S. Hagen, T.W. Jing, J. Clayhold and J. Horvath 1072

C1.3. Panel on thermal properties

Optimization of the superconductor $YBa_2Cu_3O_{7-\delta}$: the effect of the DOS, processing conditions, impurities and Fe doping on the specific heat, Meissner effect and susceptibility
A. Junod 1078

Specific heat of a single crystal of $YBa_2Cu_3O_{7-\delta}$: fluctuation effects in a bulk superconductor in zero magnetic field and in a magnetic field
D.M. Ginsberg, S.E. Inderhees, M.B. Salamon, N. Goldenfeld, J.P. Rice and B.G. Pazol 1082

Heat capacity and equilibration time near T_c of $YBa_2Cu_3O_7$
A.V. Voronel, D. Linksky, A. Kisliuk and S. Drislikh 1086

Specific heat study on $Ba_2YCu_3O_7$ samples with a double superconducting transition
M. Ishikawa, Y. Nakazawa, T. Takabatake, A. Kishi, R. Kato and A. Maesono 1089

Specific heat of $YBa_2Cu_3O_7$
R.A. Fisher, J.E. Gordon, S. Kim, N.E. Phillips and A.M. Stacy 1092

Elastic and thermal behaviour of ceramic high-T_c superconductors studied by ultrasound, vibrating reed, and specific heat measurements
T. Lægreid, K. Fossheim and F. Vassenden 1096

C1.4. Symposium on magnetic properties

Structural and magnetic properties of Fe impurities in $YBa_2Cu_3O_{7-\delta}$
B.D. Dunlap, J.D. Jorgensen, W.K. Kwok, C.W. Kimball, J.L. Matykiewicz, H. Lee and C.U. Serge 1100

Effects of substitution for copper in high-T_c oxides
Y. Maeno and T. Fujita 1105

Magnetic correlations in $La_2NiO_{4+\delta}$ and $La_{2-x}Sr_xCuO_4$
G. Aeppli, D.R. Harshman, D. Buttrey, E. Ansaldo, G.P. Espinosa, A.S. Cooper, J.P. Remeika, T. Freltoft, T.M. Riseman, D.R. Noakes, B. Ellman, T.F. Rosenbaum and D.Ll. Williams 1111

Neutron scattering study of the antiferromagnetic ordering in $YBa_2Cu_3O_{6+x}$ powder and single crystal samples
P. Burlet, C. Vettier, M.J.G.M. Jurgens, J.Y. Henry, J. Rossat-Mignod, H. Noel, M. Potel, P. Gougeon and J.C. Levet 1115

Irreversible magnetic properties of high-T_c superconductors
P.H. Kes 1121

μSR investigations of the magnetic flux penetration in the mixed state of the high temperature superconductors
A. Schenck 1127

Physical properties of $YBa_2Cu_3O_{7-x}$ single crystals
Yu.A. Ossipyan, V.B. Timofeev and I.F. Schegolev 1133

C1.5. Session on new materials

New materials and high temperature superconductivity
C.W. Chu, P.H. Hor, R.L. Meng, Z.J. Huang, L. Gao, Y.Y. Xue, Y.Y. Sun, Y.Q. Wang and J. Bechtold 1138

Some problems of the superconducting Bi–Sr–Ca–Cu–O system
Z.X. Zhao 1144

A new ambient pressure organic superconductor (BEDT-TTF)$_2$Cu(NCS)$_2$ with T_c above 10 K
K. Oshima, H. Urayama, H. Yamochi and G. Saito 1148

Time-effects in the low-field magnetization of a β-(BEDT-TTF)$_2$I$_3$ single crystal
A.C. Mota, P. Visani, A. Pollini, G. Juri and D. Jerome 1153

High-J_c superconducting thin films prepared by sputtering
H. Itozaki, S. Tanaka, K. Higaki and S. Yazu 1155

Spatially resolved observation of the critical current in high-T_c films
R. Gross, J. Bosch and R.P. Huebener 1159

Preparation and properties of high-T_c superconducting oxide–silver composites by oxidation of a ductile alloy precursor
E.A. Early, C.L. Seaman, M.B. Maple and M.T. Simnad 1161

C2. Contributed papers (Wednesday, 2 March 1988) 1163

C2.1. Theory. Microscopic models

Quantum chemistry and high-T_c superconductivity
K.H. Johnson, M.E. McHenry, C. Counterman, A. Collins, M.M. Donovan, R.C. O'Handley and G. Kalonji 1165

A novel excitonic mechanism for superconductivity
A.R. Bishop, R.L. Martin and Z. Tesanovic 1167

New wave functions for strongly correlated fermions and their determinantal representation
J.-P. Bouchaud and C. Lhuillier 1169

Fourth-order effective Hamiltonian for high-T_c superconductors
P. Entel, S.G. Mishra and M. Matschke 1171

Coulomb interactions in superconducting oxides, hydrides and carbides
J. Hauck, D. Henkel and K. Mika 1173

Superconductivity caused by strong correlation
S.-P. Feng and B.-K. Ma 1175

The theoretical study of superconductivity in oxide $BaPb_{1-x}Bi_xO_3$
W.-G. Wang and B.-K. Ma 1177

Magneto-oscillations in quasi-two-dimensional extreme type II superconductors
T. Maniv, R.S. Markiewicz, I.D. Vagner and P. Wyder 1179

The role of the Lifshitz point in high-T_c superconductivity
R.S. Markiewicz 1181

Remarks on the interband pairs in superconductors
O.L.T. De Menezes 1183

Possibilities to increase the transition temperature of superconducting compound
V.A. Moskalenko, L.Z. Kon and M.E. Palistrant 1185

Effective interactions mediated by 1-D chains: a model for 1-2-3 superconductors
L. Lilly, A. Muramatsu and W. Hanke 1187

Valence and bonds in the new supercnductors
X. Oudet 1189

Two-sublattice model of high-T_c superconductor $Y_1Ba_2Cu_3O_7$
V.I. Ozhogin and V.L. Safonov 1191

La_2CuO_{4-y} as a strongly correlated Fermi liquid
M. Papoular 1193

Arguments for a lone-pair model for high temperature superconductivity
I. Pócsik and E. Lippmaa 1195

Superconductivity in a quasi-two-dimensional Bose gas: high-T_c from boson pair condensation
M.J. Rice and Y.R. Wang 1197

Self-consistent treatment of coupled superconducting grains in a magnetic field
T. Schneider, D. Würtz and R. Hetzel 1199

Superconductivity and twinning
K.-D. Schotte and T.T. Truong 1201

Excitation spectra and thermodynamic properties of local pair superconductors
A.A. Sobyanin 1203

Correlation of metastability, icosahedral symmetry and high-critical-temperature superconductivity
A. Szasz and D.J. Fabian 1205

A possible mechanism of high-T_c oxide superconductor
L.-Y. Zhang and C.-Y. Yao 1207

Multiband superconductor model with exchange-like interband interaction
K. Yamji and S. Abe 1209

Magnetic phases and possible magnetic pairing in doped lanthanum cuprate
A. Aharony, R.J. Birgeneau, A. Coniglio, M.A. Kastner and H.E. Stanley 1211

C2.2. Theory. Electronic structure

Ab initio molecular orbital calculations of effective exchange integrals for transition metal oxides and halides: strong superexchange interactions and high-T_c superconductivity
K. Yamaguchi, Y. Takahara, T. Fueno and K. Nasu 1213

Ground state properties and electronic structure of high-T_c superconductors
G. Malcolm Stocks, W.M. Temmerman, Z. Szotek, G.Y. Guo and P.J. Durham 1215

Calculation of the many body interaction parameters in the high-T_c compound La_2CuO_4
M. Schluter, M.S. Hybertsen and N.E. Christensen 1217

Coupled spin–mobile hole model for superconducting copper oxides
P. Prelovšek, E. Loh, T. Martin and D. Campbell 1219

The single-band effective Hamiltonian for high-T_c superconductors from a cluster analysis of experimental data
F. Mila, F.C. Zhang and T.M. Rice 1221

A mechanism for attractive interaction between holes in high-T_c superconductors
C.A. Balseiro, A.G. Rojo, E.R. Gagliano and B. Alascio 1223

Local density theory of high-T_c superconductors: $Ba_2Sr_2CaCu_2O_8$
A.J. Freeman, J. Yu and S. Massidda 1225

Hole pairing in antiferromagnetically correlated layered oxides
N. Kumar 1227

Absence of pairing mechanism due to coupling of oxygen holes to localized sping in high-T_c superconductors
A.M. Oleś and J. Zaanen 1229

Real space renormalization group study of Cu–O planes with Coulomb repulsion
F. Guinea 1231

Interband optical conductivity of La_2CuO_4
M. Alouani, O. Jespen and O.K. Andersen 1233

Band structures and antiferromagnetism of $(La_{1-x}Sr_x)_2CuO_4$
A. Oshiyama, K. Shiraishi, T. Nakayama, N. Shima and H. Kamimura 1235

Itinerant magnetism in K_2NiF_4-type compounds
J. Kübler, V. Eyert and J. Sticht 1237

Ab initio computation of interband contribution to the optical conductivity of $YBa_2Cu_3O_{7-x}$
S.T. Chui, R.V. Kasowksi and W.Y. Hsu 1239

Electronic properties of structural defects in $YBa_2Cu_3O_x$
P. Lambin, J.-P. Vigneron and A.A. Lucas 1241

Electronic structure analysis of $LnBa_2Cu_3O_{7-x}$: implications on normal and superconductivity
H. Eschrig and G. Seifert 1243

Electronic structure of the superconducting phase of $CeOs_xRu_{2-x}$
S. Balle, F. Lopez-Aguilar and J. Costa-Quintana 1245

A new pairing mechanism in oxide superconductors
S. Kurihara 1247

C2.3. Theory. RVB and other spin models

Generalised dynamic spin susceptibility in the resonant valence bond state in high-T_c superconductors
K.P. Jain and D.K. Ray 1249

Mean field RVB theory: degeneracy, gauge symmetry and the comparison to exact results
F.C. Zhang, C. Gros, T.M. Rice, H. Shiba and R. Joynt 1251

Are spin-Peierls tendencies helping superconductivity?
E. Tosatti and L. Yu 1253

Correlated basis function studies of the Hubbard model
S. Fantoni, X. Wang, E. Tosatti and L. Yu 1255

An alternative approach to the R.V.B. model, the spin one half doped Mott insulator
M. Cyrot, J.-P. Julien and D. Mayou 1257

Exact states and RVB states of a periodic two-dimensional cluster of the Heisenberg model
D. Poilblanc 1259

Phase transition to the resonating valence bond state
E. Müller-Hartmann, M. Drzazga, A. Kampf and H.A. Wischmann 1261

High-T_c superconductivity and the Kondo lattice
E.W. Fenton 1263

Excitation spectra of strong coupling Hubbard-Hamiltonian
T.K. Lee, W. von der Linden and P. Horsch 1265

Exchange-mediated pairing in correlated systems
J. Spałek 1267

Anisotropic high temperature superconductivity
A. Mishima 1269

High-T_c superconductors as almost-localized systems: resonance and fluctuations
M. Lavagna 1271

Pairing of electrons coupled to antiferromagnetic spin waves
B.D. Simons and J.M.F. Gunn 1273

Superconductivity near the atomic limit
J.M.F. Gunn and M.W. Long 1275

Quantum frustration and magnetic ordering in a Hubbard model
M. Gabay, S. Doniach and M. Inui 1277

Phonon shifts due to superconductivity in $YBa_2Cu_3O_{7-\delta}$
R. Zeyher and G. Zwicknagl 1279

Correlation functions for the one-dimensional Hubbard model: variational approach for small U
J. Carmelo and D. Baeriswyl 1281

Improved Gutzwiller ansatz and Gutzwiller approximation for strongly correlated electron systems
P. Fazekas 1283

Spin-correlations of the spin-1/2 Heisenberg antiferromagnet on a square lattice
P. Horsch and W. von der Linden 1285

Realistic Anderson lattice model of the 214 material solved in mean field
D.M. Newns and P. Pattnaik, M. Rasolt and D.A. Papaconstantopolous 1287

Numerical investigation of competing spin–spin interactions in a two-dimensional Ising model for $La_{2-z}CuO_{4-y}$
D. Fay, R.A. Klemm and H. Monien 1289

Superconductivity due to correlation effects
D. Schmeltzer 1291

Fermions on a background of spins
M.W. Long 1293

Superconductivity in the orbital degenerated Hubbard model
R.O. Zaitsev and V.A. Ivanov 1295

Concentration induced phase transition in the T_c magnetic superconductors
Z. Bąk, M. Piasecki and J. Kasperczyk 1297

Cooperation of antiferromagnetic interactions and phonons in $La_{2-x}/Ba,Sr/_xCuO_{4-\delta}$
J. Żmijan 1299

Ginzburg–Landau theory of resonating valence bonds and its U(1) phase dynamics
A. Nakamura and T. Matsui 1301

Extended Hubbard model and copper–oxygen valence fluctuations
C.P. Enz 1303

C2.4. Theory. Exciton models

A Cu d–d excitation model for the pairing in the high-T_c cuprates
W. Weber, A.L. Shelankov and X. Zotos 1305

A weak-coupling limit of the d–d excitation model for the high-T_c cuprates
A.L. Shelankov, X. Zotos and W. Weber 1307

Finite size systems study of the d–d excitation model
X. Zotos, A.L. Shelankov and W. Weber 1309

Correlated two-particle excitation mechanism for high-T_c superconductors
K.P. Sinha and M. Singh 1311

Collective polarization waves in high-T_c superconductors
J.-P. Vigneron, P. Lambin, A.A. Lucas and H. Morawitz 1313

Band structure, electron correlations, and an interlayer pairing mechanism for high temperature superconductivity
J. Ashkenazi and C.G. Kuper 1315

Charge fluctuations and superconductivity in superconducting oxides
T. Koyama, M. Sasaki and M. Tachiki 1317

"Neutral oxygen" and superconductivity of metallooxide systems
D.I. Khomskii and A.K. Zvezdin 1319

Vibronic states as the possible origin of high-T_c superconductivity in ceramic copper oxides
J. Keller 1321

Two-band electronic mechanism for superconductivity
O. Entin-Wohlman and Y. Imry 1323

Polarizability mechanisms and high temperature superconductivity
A. Bussmann-Holder, A. Simon and H. Büttner 1325

Plasmon and phonon mechanisms of superconductivity in the layered high-T_c copper-oxides
V.Z. Kresin and H. Morawitz 1327

C2.5. Electronic properties. Transport

Electrical resistivity of $YBa_2Cu_3O_{7-\delta}$ single crystals as a function of temperature and magnetic field
R.J. Wijngaarden, K. Heeck, R. Griessen, A.A. Menovsky and M.J.V. Menken 1329

Electrical transport in the perovskite solid-solution $LaNi_{1-x}Co_xO_3$
K.P. Rajeev, N.Y. Vasanthacharya, A.K. Raychaudhuri, P. Ganguly and C.N.R. Rao 1331

The effect of magnetic field on the resistivity of bulk and thin films in Y–Ba–Cu–O
D. Abukay, M. Akinaga and L. Rinderer 1333

Properties of single crystal and nearly bulk density high temperature superconductors
D.U. Gubser, M.S. Osofsky, B.N. Das, L.E. Toth, V. LeTourneau, E.F. Skelton, S.B Qadri, S.A. Wolf, A.K. Singh, H.A. Hoff, C.S. Pande, J. Wallace, S. Lawrence, B. Bender, R.J. Soulen Jr., D.J. Schrodt, W.L. Lechter and L.E. Richards 1335

Electronic properties of $YBa_2Cu_3O_{6.85}$ compound
C. Sulkowski, K. Rogacki, Z. Bukowski, R. Horyn and E. Trojnar 1337

Electronic properties of superconducting $(YBa_2Cu_3O_{6.9})_{1-x}Ag_x$ compounds
D. Pavuna, H. Berger, J.-L. Tholence, M. Affronte, R. Sanjines, A. Dubas, Ph. Bugnon and F. Vasey 1339

Transport critical current in bulk sintered $YBa_2Cu_3O_7$ in weak magnetic field
G. Paternò, C. Alvani, U. Gambardella and L. Maritato 1341

Defect chemistry of $YBa_2Cu_3O_{7-\delta}$
V.A.M. Brabers, A.D.D. Broemme, W.J.M. de Jonge, A.M.W. de Groote and H. Dalderop 1343

Effect of oxygen content in the thermoelectric power of $YBa_2Cu_3O_{7-\delta}$
I.C. Santos, E.B. Lopes, A.P. Gonçalves, R.T. Henriques, M. Almeida, P.P. Freitas and M.O. Figueiredo 1345

Thermal conductivity of $YBa_2Cu_3O_{7-\Delta}$ influenced by oxgen content
A. Jezowski, K. Rogacki, R. Horyń and J. Klamut 1347

Resistivity and thermoelectric power of $YBa_2Cu_3O_{7-\delta}$ up to 950 °C
B. Fisher, J. Genossar, I.O. Lelong, A. Kessel and J. Ashkenazi 1349

Porosity, magnetic field and anisotropy effects on resistivity and thermoelectric power of classical and substituted ceramic oxide superconductors
M. Ausloos, Ch. Laurent, H.W. Vanderschueren, A. Rulmont and P. Tarte 1351

Formal Cu valency, effective carriers and high-T_c superconductivity
N. Karpe and K.V. Rao 1353

T_c of single crystal YBaCuO under hydrostatic pressure up to 10 GPa
N. Lotter, J. Wittig, W. Assmus and J. Kowalevsky 1355

Transport properties of a $YBa_2Cu_3O_{7-\delta}$ single crystal
L. Forro, M. Raki, C. Ayache, P.C.E. Stamp, J.Y. Henry and J. Rossat-Mignod 1357

Anisotropy of the resistivity and trapped magnetic flux in single crystals $YBa_2Cu_3O_{7-x}$
L.Ya. Vinnikov, G.A. Emelchenko, P.A. Kononovich, Yu.A. Ossipyan, L.I. Buravov and V.N. Laukhin 1359

Electrical properties and compositional analysis of multiphase Bi–Cu–Sr–Ca oxide system
Gy. Hutiray, L. Pogány, S. Sándor, G. Oszlányi, B. Keszei and L. Mih'aly 1361

Resistivity and Hall effect studies in $YBa_2Cu_3O_{7-x}$
A.M. Ghorayeb, O. Gorochov, D.M. Eagles, M. Rateau, R. Suryanarayanan and H. Pankowksa 1363

Anisotropic electrical properties of superconducting single crystals $YBa_2Cu_3O_{7-x}$
M. Konczykowski, F. Rullier-Albenque and G. Collin 1365

New procedure for determination of $[Cu–O]^{+p}$ charge and oxygen content in high-T_c copper oxides
A.I. Nazzal, V.Y. Lee, E.M. Engler, R.D. Jacowitz, Y. Tokura and J.B. Torrance 1367

Resistivities of ceramic and single-crystalline superconductig oxides to 1100 K: what do they tell us?
M. Gurvitch, A.T. Fiory, L.S. Schneemeyer, R.T. Cava, G.P. Espinosa and J.V. Waszczak 1369

Rounding effects on electrical resistivity above T_c in high temperature superconductors and thermodynamic fluctuations
F. Vidal, J.A. Veira, J. Maza, J.J. Ponte, F. Garcia-Alvarado, E. Moran and M.A. Alario 1371

Temperature dependence of resistivity and its anisotropy of Ba–Y–Cu–O single crystals
K. Murata, Y. Honda, Y. Nishihara, H. Oyanagi, K. Hayashi, K. Oka, H. Unoki, H. Ihara, N. Terada, M. Jo, M. Hirabayashi, M. Tokumoto and Y. Kimura 1373

C2.6. Superconductivity. Tunneling

Superconducting properties of YbaCuO/Pb "bulk" junctions by tunnel spectroscopy
A.M. Cucolo, S. Pace, R. Vaglio, M. Carotenuto, G. Nobile, R. Di Leo, C. Matacotta and E. Olzi 1375

Electron tunneling into single crystals of $YBa_2Cu_3O_{7-x}$
J.-C. Wan, A.M. Goldman and J. Maps 1377

Comparative study of the energy gap in $YBa_2Cu_3O_{7-\delta}$
P.J.M. van Bentum, H.F.C. Hoevers, L.E.C. van de Leemput, L.W.M. Schreurs, P.A.A. Teunissen and H. van Kempen 1379

Tunneling and point-contact spectroscopy of high-T_c superconductors $M-Ba_2Cu_3O_{7-x}$ (M = Y,La,Eu)
N. Hohn, R. Koltun, H. Schmidt, S. Blumenröder, H. General, G. Güntherodt and D. Wohlleben 1381

Single crystal $HoBa_2Cu_3O_x$ break junctions
J. Moreland, A.F. Clark, M.A. Damento and K.A. Gschneidner Jr. 1383

Observation of gap anisotropy in $YBa_2Cu_3O_{7-\delta}$ by tunneling
J.S. Tsai, I. Takeuchi, J. Fujita, T. Yoshitake, S. Miura, S. Tanaka, T. Terashima, Y. Bando, K. Iijima and K. Yamamoto 1385

Point contact properties of YBaCuO and SmBaCuO
M. Reiffers, P. Samuely, M. Kupka, O. Hudák, P. Diko, K. Csach, J. Miškuf, V. Kavečanský and N.M. Ponomarenko 1387

Point contact spectroscopy on high-T_c superconductors
P. Nozar M. Solanki-Moser, E. Kaldis and P. Wachter 1389

Tunneling structures of high-T_c superconductors $La_{1.8}Sr_{0.2}CuO_4$ and $YBa_2Cu_3O_{7-d}$
J. Rauluszkiewicz, A. Reich, P. Przyslupski, A. Pajaczkowska and J. Igalson 1391

Josephson tunneling in YBCO–Nb bulk junctions
A. Barone, R. Cristiano, A. Di Chiara, G. Peluso, A. Ricca, U. Scotti Di Uccio and S. Zannella 1393

YBCO–bulk tunnel junctions with cadmium sulphide artificial barriers
C. Camerlingo, R. Cristiano, M. Russo, P. Silvestrini, F.C. Matacotta and E. Olzi 1395

Josephson phase coherence and coupling in A15 granular superconductors
J.F. Beaudoin, F. Weiss, J.P. Senateur, T. Verhaege and P. Dubots 1397

Gaplessness evidence in superconductive $YBa_2Cu_3O_7$ shown by tunneling effect
A. Fournel, B. Oujia, J.P. Sorbier, H. Noel, J.C. Levet, M. Potel and P. Gougeon 1399

High magnetic field production with ceramic superconductors
J.H.P. Watson 1401

C2.7. Superconductivity. SQUIDs and applications

Magnetic field response and flux pinning in HTS RF and microwave SQUIDS
J.C. Gallop, C.D. Langham and W.J. Radcliffe 1403

High-T_c ceramic weak link
N.V. Zavaritsky and V.N. Zavaritsky 1405

Parametric and non-linear behaviour of a $YBa_2Cu_3O_{7-\delta}$ RF SQUID at 77 K
G.B. Donaldson, M. Odehnal, C.M. Pegrum and J.R. Buckley 1407

Macroscopic quantum tunneling and thermal activation in a DC SQUID
F. Sharifi, J.L. Gavilano and D.J. Van Harlingen 1409

Two hole squid behaviour in a bulk YBCO sample at 77 K
S. Harrop, C.M. Muirhead, M.S. Colclough and C.E. Gough 1411

A DC SQUID magnetometer operated at 77 K
C.X. Fan, Y.J. Qian, L.S. Dai and Z.Y. Hua 1413

SQUID operation of point contacts from YBaCuO
A.T.A.M. de Waele, W.A. Draisma, V.A.M. Brabers, W.J.M. de Jonge and R.W. van der Heijden 1415

First experiments with a high-T_c superconducting magnet
I. Kirschner, M. Lamm, T. Porjesz, J. Mátrai, Gy. Kovács, T. Trager, T. Kármán, J. György and G. Zsolt 1417

Corrosion effects in Y–Ba–Cu–O ceramic superconductors
I. Kirschner, T. Trager J. Mátrai, T. Porjesz and J. György 1419

Is mutual separation of rare earth elements crucial for preparation of high-T_c materials?
H. Fjellvåg, P. Karen, A. Kjekshus, S. Lyng and O. Braaten 1421

Electromagnetic shielding properties of yttrium barium cuprate superconductor
J.C. MacFarlane, R. Driver, R.B. Roberts, E.C. Horrigan and C. Andrikidis 1423

A simple device to observe transition temperature with a magnet
E. Walker, P. Monnerat and M. Peter 1425

Design of a liquid nitrogen level detector using high-T_c superconductors
G. Leemann, H. Jenny, H.R. Hidber and H.-J. Gütherodt and R. Jeker 1427

C2.8. Thin films. Properties

Characterization of Y–Ba–Cu–oxide superconductor thin films prepared by excimer laser evaporation
H.-U. Habermeier and G. Mertens 1429

Microwave absorption in $YBa_2Cu_3O_{7-y}$ thin films
R. Sobolewski, A. Konopka and J. Konopka 1431

Status of HTS activities at Siemens
H.E. Hoenig, H. Behner, H. Freller, F. Friedrich, G. Gieres, K.H. Gunzelmann, W. Herkert, H.W. Neumüller, L. Schultz, M. Wilhelm, K. Wohlleben, R. Brchhaus, O. Eibl, R. Einzinger, W. Holubarsch, H. Schmidt, A. Szulczyk and M. Thoener 1433

Near-surface atomic segregation in YBCO thin films
J.R. Gavaler and A.I. Braginski 1435

Critical current as a function of temperature in thin $YBa_2Cu_3O_{7-\delta}$ films
J.W.C. de Vries, M.A.M. Gijs and G.M. Stollman 1437

Deposition and characteriazation of superconducting YbaCuO films
E.M. Logothetis, R.E. Soltis, R.M. Ager, W. Win, C.J. McEwan, K. Chang, J.T. Chen, T. Kushida and L.E. Wenger 1439

Magnetic properties of $YBa_2Cu_3O_7$ superconducting thin films
R. Buder, M. Boujida, J.C. Bruyere, C. Escribe-Filippini, J. Marcus, P.L. Reydet and C. Schlenker 1441

Inductive conductance measurements of YBaCuO films
P.K. Srivastava, P. Debely, H.E. Hintermann, C. Leemann, J. Weber, O. Caccivio, P. Martinoli and H.R. Ott 1443

Valence band studies of YBaCuO thin films
D. van der Marel, D. Heitmann, J. van Elp, G.A. Sawatzky and J.E. Mooij 1445

Ion beam irradiation effects on YBaCu-oxide superconducting thin films
G.C. Xiong, F. Weschenfelder, O. Meyer, G. Linker, H.C. Li and J. Geerk 1447

Ion beam sputtering and properties of YBaCuO superconducting thin films
D. Pavuna, W. Baer, H. Berger, H.J. Mathieu, A. Vogel, M. Schmidt, V. Gasparov, M. Affronte, F. Vasey and F.K. Reinhart 1449

High-T_c films by thermal co-evaporation: first phonon experiments
P. Berberich, W. Dietsche, H. Kinder, J. Tate, Chr. Thomsen and B. Scherzer 1451

Segregation, interface reactions and surface topography of $YBa_2Cu_3O_{7-\delta}$ thin films, investigated by Auger depth profiling, microprobe analysis, STM and SEM
J.K. Grepstad, Ph. Niedermann, J.-M. Triscone, L. Antognazza, M.G. Karkut and Ø. Fischer 1453

C2.9. Superconductivity. Magnetic phenomena

Single-crystal $Y(Eu,Ho)Ba_2Cu_3O_7$ films
A.I. Golovashkin, E.V. Ekimov, S.I. Krasnosvobodtsev and E.V. Pechen 1455

Electrochemical preparation and properties of oxygen deficient $YBa_2Cu_3O_{7-x}$
M. Schwartz, M. Rappaport, G. Hodes and D. Cahen 1457

Measurements of the whole profile of the H_{c2}–T curve and residual resistance of $EuBa_2Cu_3O_y$ single crystal
A. Yamagishi, H. Fuke, K. Sugiyama, M. Date, Y. Tajima, M. Hikita, T. Ishii, A. Katsui, Y. Hidaka, T. Iwata and S. Tsurumi 1459

Anisotropic characteristic lengths in single crystal $YBa_2Cu_3O_{7-\delta}$
A. Umezawa, G.W. Crabtree, J.Z. Liu 1461

The upper critical field of $HoBa_2Cu_3O_{7-\delta}$ for $H \| c$
L.A. Schwartzkopf, M.M. Fang, L.S. Chumbley and D.K. Finnemore 1463

Magnetic measurements on single crystals $YBa_2Cu_3O_{7-\delta}$
J. van den Berg, C.J. van der Beek, P.H. Kes, J.A. Mydosh, A.A. Menovsky and M.J.V. Menken 1465

Anisotropy in the superconducting properties of single crystals of $REBa_2Cu_3O_7$
O. Laborde, P. Monceau, M. Potel, P. Gougeon, J. Padiou, J.C. Levet and H. Noel 1467

Low-field Meissner fraction of YBaCuO in a flux pinning model
L. Krusin-Elbaum, A.P. Malozemoff, Y. Yeshurun, D.C. Cronemeyer and F. Holtzberg 1469

Anisotropic properties of magnetization of single crystal $EuBa_2Cu_3O_{7-\delta}$
Y. Isikawa, K. Mori, K. Kobayashi and K. Sato 1471

Magnetic torque investigation of YBaCuO single crystals
C. Giovannella, L. Fruchter, G. Collin and I.A. Campbell 1473

Magnetic properties of twinned crystals of $YBa_2Cu_3O_{7-\delta}$
V.A.M. Brabers, W.J.M. de Jonge, A.T.A.M. de Waele, J.H.P.M. Emmen and P.M.A. Geppaart 1475

On the relevance of the AC magnetic susceptibility on the study of superconductors
A.F. Khoder, M. Couach and B. Barbara 1477

Magnetization jumps and critical currents in $HoBa_2Cu_3O_7$ single crystals, up to 18 T
J.L. Tholence, H. Noel, J.C. Levet, M. Potel, P. Gougeon, G. Chouteau and M. Guillot 1479

Magnetism and electric conduction in a single crystal La_2CuO_{4-y}
H. Unoki, Y. Nishihara, K. Oka, M. Tokumoto and K. Murata 1481

The correlation of critical currents and magnetization in $YBa_2Cu_3O_7$
S.E. Male, J. Chilton and A.D. Caplin 1483

High magnetic field measurements on $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ and $YBa_2Cu_3O_{7-\delta}$
P.J.M. van Bentum, H. van Kempen, L.E.C. van de Leemput, J.A.A.J. Perenboom, L.W.M. Schreurs, E. van der Steen and P.A.A. Teunissen 1485

Magnetoresistance oscillations in bulk high-T_c superconductor
R. Steinmann, P. Lejay, J. Chaussy and B. Pannetier 1487

Determination of the London penetration depth on $YBa_2Cu_3O_7$ fine particles
P. Monod, B. Dubois and P. Odier 1489

Low temperature AC susceptibility of yttrium barium copper-oxide single crystals: attempts to measure the superconducting penetration depth
J.R. Cooper, M. Petravić, D. Drobac, B. Korin-Hamzić, N. Brničević, M. Paljević and G. Collin 1491

High-T_c superconductors susceptibility: a measurement of their penetration depth
P. Peyral, J. Rosenblatt, A. Raboutou, C. Lebeau, C. Perrin, O. Peña, A. Perrin and M. Sergent 1493

Anomalous enhancement of fractional volume of superconductivity in La_2CuO_{4-y} due to field cooling process
R. Yoshizaki, H. Sawada, T. Iwazumi and H. Ikeda 1495

Critical fields and current densities of Y–Ba–Cu–O compounds
W. Boon, M. d'Halle, J.-P. Locquet, M. Bruggeman, H. Strauven, O.B. Verbeke, J. Vanacken, C. van Haesendonck and Y. Bruynseraede 1497

Magnetization and pinning measurements with the vibrating reed on high-T_c ceramics
P. Esquinazi and C. Duran 1499

Ultra-low field magnetic studies of ceramic superconductors
C.E. Gough, M.N. Keene, C. Mee, A.I.M. Rae and S.J. Abell 1501

Critical fields in $Ba_2SmCu_3O_{7-x}$ high-T_c superconductor from magnetization measurements
X. Obradors, A. Labarta, M. Vallet and J. Gonzalez-Calbet 1503

Investigation of high-T_c superconductors by means of torque measurements
W. Andrä, H. Danan, R. Hergt, E. Jäger, T. Klupsch and H. Pfeiffer 1505

On the influence of the heat treatment on the diamagnetic and thermodynamic properties of sintered $YBa_2Cu_3O_7$
J. Heise, P. Gutsmiedl, K. Neumaier, Chr. Probst, H. Berndt, P. Müller and K. Andres 1507

Hysteresis on granular $YBa_2Cu_3O_7$ superconductor
A. Ding, Z. Yu, K. Shi and J. Yan 1509

Intra- and intergrain effects in AC susceptibility of YBaCuO ceramics
E. Babić, Ž. Marohnić, D. Drobac, M. Prester and N. Brničević 1511

Sample dependence of the magnetic susceptibility, specific heat and lattice parameters for $YBa_2Cu_3O_{7-\delta}$
A. Bezinge, A. Junod, T. Graf, J. Muller, M. François and K. Yvon 1513

Thermal transport and magnetic properties of $GdBa_2Cu_3O_{7-y}$ superconductor
K. Mori, K. Noto, M. Sasakawa, Y. Isikawa, K. Sato, N. Kobayashi and Y. Muto 1515

Observation and polaronic nature of superconductivity in new metallic oxides
A.S. Alexandrov and E.A. Protasov 1517

Magnetic moments measured at 78 K on an $YBa_2Cu_3O_x$ superconducting ceramic disc
J. Cornelis, J. Vansummeren, H. Ooms, R. Gilissen, J. Cooymans, N. Maene, F. Biermans and A. van den Bosch 1519

Simultaneous electric and magnetic measurements on high-T_c superconductors
C.S. Jacobsen, N.E. Dam, K.F. Nielsen, I. Johannsen and A.S. Petersen 1521

High temperature magnetic properties of oxide superconductors
H. Jenny, G. Leemann, B. Walz and H.-J. Güntherodt 1523

Upper and lower critical fields of $REBa_2Cu_3O_z$ compounds
N. Kobayashi, H. Iwasaki, S. Terada, K. Noto, A. Tokiwa, M. Kikuchi, Y. Syono and Y. Muto 1525

Low-field magnetocaloric effects in YBaCuO superconductors
E. Leyarovski, L. Leyarovska, N. Leyarovska, Chr. Popov and M. Kirov 1527

Magnetic field dependence of $I-V$ characteristics of high-T_c superconducting ceramics
S. Mészáros, G. Halász, K. Vad, F.J. Kedves and Sz. Balanyi 1529

Low field AC susceptibility of high-T_c Y–Ba–Cu–O superconductors
J.S. Muñoz, A. Sanchez, T. Puig, D.-X. Chen and K.V. Rao 1531

Magnetic energy absorption in sintered $YBa_2Cu_3O_{7-\delta}$ samples
C. Rillo, F. Lera, J. Garcia, J. Bartolome, R. Navarro, D. Gonzalez, M.A. Alario-Franco, D. Beltran, D.H.A. Blank, J. Gonzalez-Calbet, J. Flokstra, R. Ibañez, E. Moran, J.S. Muñoz, X. Obradors, A. Sanchez and M. Vallet 1533

Magnetic properties of high-T_c superconductors
T.C. Shields, I.R. Harris and J.S. Abell 1535

Magnetization of superconducting $YBa_2Cu_3O_7$ and Ni- and Zn-substituted samples
J.P. Ströbel, A. Thomä, B. Hensel, H. Adrian and G. Saemann-Ischenko 1537

C2.10. Mössbauer

Mössbauer investigation of iron doped $YBa_2Cu_3O_{7-\delta}$
P. Chaudouët, S. Garçon, J.P. Sénateur, F. Weiss, P. Dalmas de Réotier, P. Vulliet and A. Yaouanc 1539

Mössbauer and μSR studies of the rare earth magnetic ordering in high-T_c superconductors
P. Dalmas de Réotier, P. Vulliet, A. Yaouanc, O. Hartmann, E. Karlsson, R. Wäppling, P. Chaudouët, S. Garçon, J.P. Sénateur, F. Weiss and T.O. Niinikoski 1541

Rare-earth valency and electric field in Eu, Gd and Yb based high-T_c superconductors
P. Dalmas de Réotier, P. Vulliet, A. Yaouanc, P. Chaudouët, S. Garçon, J.P. Sénateur, F. Weiss, L. Asch and G.M. Kalvius 1543

The ionic state of ^{140}Ce in $La_{1.8}Sr_{0.2}CuO_4$ studied by perturbed angular correlation
S. Harris, E. Karlsson, B. Lindgren, T. Lundstrom and A. Mayer 1545

Magnetic ordering of the Gd sublattice in superconducting $GdBa_2Cu_3O_{7-\delta}$
G. Wortmann, A. Kolodziejczyk, C.T. Simmons and G. Kaindl 1547

The electronic state and the lattice vibration of europium in the high temperature superconductor $Ba_2EuCu_3O_y$ observed by Mössbauer effect spectroscopy
M. Taniwaki and H. Sasaki 1549

Resonating valence bond localization by impurities in high temperature superconductors, observed by Mössbauer spectroscopy
T. Tihov, P. Vassilev, I. Kostadinov, M. Mateev, V. Rusanov, Tz. Ivanov, S.T. Reiman and A.A. Gippius 1551

Mössbauer study of Fe substituted $YBa_2Cu_3O_{7-\delta}$
J.L. Dormann, S.C. Bhargava, C. Djega-Mariadassou, J. Jove, O. Gorochov, R. Suryaranarayan and H. Pankowska 1553

^{57}Fe and ^{119}Sn Mössbauer study of La_2CuO_{4-y}, $YBa_2Cu_3O_{7-y}$ and $SmBa_2Cu_3O_{7-y}$
S. Jha, C. Mitros, S. Yehia, A. Lahamer, G.M. Julian, R.A. Dunlap, R.C. O'Handley and M.E. McHenry 1555

Anomalous behaviour of Mössbauer parameters of a $YBa_2Cu_{2.875}Fe_{0.125}O_\delta$ superconductor around 110 K
R. Gomez, S. Aburto, V. Marquina, M.L. Marquina, M. Jimenez, C. Quintanar, T. Akachi, R. Escudero, R.A. Barrio and D. Rios-Jara 1557

Transient increase of T_c in YBCO by breaking the symmetry of a thermal cycle in a magnetic field
A. Aresti, A. Geddo Lehmann, P. Manca and G. Pegna 1559

Comparative behaviour of $YBa_2Cu_3O_y$ and $LaBa_2Cu_3O_y$: a microthermogravimetry analysis and Mössbauer resonance study
B. Chevalier, L. Fournes, J.-C. Grenier, N. Lagueyte, B. Lepine, J. Etourneau and M. Pouchard 1561

Mössbauer study of the superconductor ^{57}Fe:$YBa_2Cu_3O_y$
E. Baggio Saitovitch, I. Souza Azevedo, R.B. Scorzelli, H. Saitovitch, S.F. da Cunha, A.P. Guimarães, P.R. Silva and A.Y. Takeuchi 1563

Currents, magnetization and AC-losses of $YBa_2Cu_3O_7$ superconductors in rapidly changing magnetic fields
K. Kwasnitza, V. Plotzner, M. Waldmann and E. Widmer 1565

D1. Invited papers (Thursday, 3 March 1988) 1567

D1.1. Symposium on applications

Flux quantisation and SQUID magnetometry using ceramic superconductors
C.E. Gough 1569

Metallurgy and critical currents in $YBa_2Cu_3O_7$ wires
R. Flükiger, T. Müller, W. Goldacker, T. Wolf, E. Seibt, I. Apfelstedt, H. Küpfer and W. Schauer 1574

Weak links and the poor transport critical currents of the 123 compounds
D.C. Larbalestier, S.E. Babcock, X. Cai, M. Daeumling, D.P. Hampshire, T.F. Kelly, L.A. Lavanier, P.J. Lee and J. Seuntjens 1580

Application of high-temperature superconductors to SQUID and other devices
U. Kawabe 1586

Infrared optical detector using superconducting oxide thin film
Y. Enomoto, T. Murakami and M. Suzuki 1592

Material constraints on electronic applications of oxide superconductors
A.I. Braginski 1598

Superconducting perovskites in microwave fields
H. Piel, M. Hein, N. Klein, U. Klein, A. Michalke, G. Müller and L. Ponto 1604

D1.2. Symposium–Theory II: Mechanisms for superconductivity

Quasi-low-dimensionality in the weak coupling limit
J. Friedel 1610

Macroscopic theory for superconductors with small coherence length
V.L. Ginzburg 1617

Charge transfer in the Hubbard model and Cu–O superconductivity
E. Abrahams 1622

Strong-coupling theory for high-T_c superconductors
J. Rammer 1625

Mean field theory of superconductivity in strong correlations
H. Fukuyama, Y. Hasegawa and Y. Suzumura 1630

What can be learned about high-T_c from local density theory?
J. Zaanen, O. Jepsen, O. Gunnarsson, A.T. Paxton, O.K. Andersen and A. Svane 1636

Quadrupolar Kondo effect in UBe_{13} (and other systems)?
D.L. Cox 1642

D2. Contributed papers 1649

D2.1. Post-deadline papers

Small-angle neutron scattering and Knight shift in magnetic superconductors
L.N. Bulaevskii and A.I. Buzdin 1651

Planar defects in $YBa_2Cu_3O_{7-\delta}$
A. Brokman, M. Palhan and M. Weger 1653

Investigation of thermal excitation spectra in high-temperature superconductors
N.A. Chernoplekov, M.H. Khlopkin, G.Kh. Panova, P.P. Parshin, B.I. Saveljev, A.A. Shikov and M.G. Zemljanov 1655

The evidence of weak coupling superconductivity in $GdBa_2Cu_3O_{7-y}$
Y.-H. Xu, W.-Y. Guan and K. Zeibig 1657

Possible occurrence of band interplay in high-T_c superconductors
C. Castellani, C. Di Castro and M. Grilli 1659

Electron loss spectrum of superconducting oxides
J. Ruvalds and Y. Ishii 1661

Physico–chemical regularities of high-T_c superconducting materials synthesis
A.B. Blank, V.T. Zagoskin, L.A. Kvichko, L.A. Kotok, Yu.G. Litvinenko and V.P. Seminozhenko 1663

The correlation of superconductivity and structure in doping $YBa_2Cu_3O_{7-y}$ system
Y. Zhao, H. Zhang, S.-F. Sun, M.-J. Zhang, Z.-Y. Chen and Q.-R. Zhang 1665

A new and sensitive method for detection of superconductivity using microwave bridge
M.D. Sastry, R.M. Kadam, Y. Babu, A.G.I. Dalvi, I.K. Gopalkrishnan, P.V.P.S. Sastry and R.M. Iyer 1667

Coexistence of superconductivity and disordered magnetism in oxygen deficient $YBa_2Cu_3O_x$
F. Mezei, B. Faragó, C. Pappas, Gy. Hutiray, L. Rosta and L. Mihály 1669

The chemistry of $YBa_2Cu_3O_7$: a neutron powder thermodiffractometry study
J. Rodriguez, J. Bassas, X. Obradors, M. Vallet, J. Calbet, M. Anne and J. Pannetier 1671

Pairing of polaronic holes induced by antiferromagnetic spin waves
D. Schmeltzer 1673

Growth of high temperature superconducting single crystals
A.P. Voronov, V.M. Dmitriev, M.B. Kosmyna, S.F. Prokopovich and V.P. Seminozhenko 1675

Polarization–optical study of $YBa_2Cu_3O_{7-x}$ single crystals
V.K. Vlasko-Vlasov, M.V. Indenbom and Yu.A. Ossipyan 1677

RBS analysis of spray pyrolyzed Y–Ba–Cu–O thin films
S.H. Risbud, W.R. Bania, L.C. McIntyre Jr. and J.A. Leavitt 1679

Fluctuations in anisotropic superconductors with twinning boundaries
A.A. Sobyanin and A.A. Stratonnikov 1681

E1. Invited papers (Friday, 4 March 1988) 1683

E1.1. Symposium on thin films

DC SQUIDs made from $YBa_2Cu_3O_y$
R.H. Koch, C.P. Umbach, M.M. Oprysko, J.D. Mannhart, B. Bumble, G.J. Clark, W.J. Gallagher, A. Gupta, A. Kleinsasser, R.B. Laibowitz, R.B. Sandstrom and M.R. Scheuermann 1685

Preparation and properties of high-T_c superconducting oxide thin films
T. Murakami, Y. Enomoto and M. Suzuki 1690

Crystallinity and superconductivity of low temperature sythesized Ln–Ba–Cu–O thin films
H. Adachi, K. Setsune, K. Hirochi, T. Kamada and K. Wasa 1696

Theory of superconducting multilayers
M. Tachiki and S. Takahashi 1702

Phase fluctuations and electron–electron scattering in disordered superconducting films
T.R. Lemberger and S.-G. Lee 1708

Tunneling spectroscopy on high-T_c superconductors: certainties, clues and ambiguities
A. Barone 1712

Determination of the energy gap in $YBa_2Cu_3O_{7-\delta}$ by tunneling, far infrared reflection and Andreev reflection
P.J.M. van Bentum, H.F.C. Hoevers, H. van Kempen, L.E.C. van de Leemput, M.J.M.F. de Nivelle, L.W.M. Schreurs, R.T.M. Smokers and P.A.A. Teunissen 1718

E1.2. Symposium on electronic properties II

Positron annihilation and superconductivity
M. Peter, L. Hoffmann and A.A. Manuel 1724

Superconductivity of heavy-electron uranium compounds
Z. Fisk, H. Borges, M. McElfresh, J.L. Smith, J.D. Thompson, H.R. Ott, G. Aeppli, E. Bucher, S.E. Lambert, M.B. Maple, C. Broholm and J.K. Kjems 1728

E1.3. Panel on optical properties

Infrared studies of high temperature superconductors
Z. Schlesinger, R.T. Collins, D.L. Kaiser, F. Holtzberg, G.V. Chandrashekhar, M.W. Shafer and T.M. Plaskett 1734

Reflectivity of $YBa_2Cu_3O_{7-\delta}$: normal state dynamics
J. Orenstein, G.A. Thomas, D.H. Rapkine, A.J. Millis, L.F. Schneemeyer and J.V. Waszczak 1740

Infrared properties of $YBa_2Cu_3O_{7-\delta}$
T. Timusk, D.A. Bonn, J.E. Greedan, C.V. Stager, J.D. Garrett, A.H. O'Reilly, M. Reedyk, K. Kamarás, C.D. Porter, S.L. Herr and D.B. Tanner 1744

Bireflectance, absorption and transmission dichroism of single domains, and bireflectance of layered polydomains of normal state $YBa_2Cu_3O_{7-x}$ in the visible
H. Schmid, J.-P. Rivera, M. Clin, A. Williams and E. Burkhardt 1748

Optical spectra and electronic structures of high-T_c oxide superconductors
J. Tanaka, K. Kamiya, M. Shimizu, M. Simada, C. Tanaka, H. Ozeki, K. Adachi, K. Iwahashi, F. Sato, A. Sawada, S. Iwata, H. Sakuma and S. Uchiyama 1752

Raman scattering in $YBa_2Cu_3O_{7-\delta}$ untwinned single crystals
C. Thomsen, M. Cardona, R. Liu, B. Gegenheimer and A. Simon 1756

Determination of the symmetry of the $3d^9\underline{L}$, states by polarized CuL_3 XAS spectra of single crystal $YBa_2Cu_3O_{\sim 6.9}$
A. Bianconi, M. De Santis, A.M. Flank, A. Fontaine, P. Lagarde, A. Marcelli, H. Katayama-Yoshida and A. Kotani 1760

E1.4. Plenary session

The world of perovskite oxides: from dielectrics to superconductors
C.N.R. Rao 1762

Current theories of the high-T_c superconducting materials
P. Fulde 1769

List of contributors 1775

Analytic subject index 1788